



RECHARGEABLE LIGHTING SYSTEMS
EXPERIENCE THE COST SAVINGS



STREAMLIGHT®

TRANSFORM YOUR HIGH-PERFORMANCE LIGHTING TOOLS

INTO RECHARGEABLE SYSTEMS THAT OUTSHINE AND OUTPERFORM
FLASHLIGHTS WITH TRADITIONAL BATTERY PLATFORMS

AND SAVE MONEY IN THE PROCESS!

STREAMLIGHT OFFERS A LINE OF MULTI-FUEL LIGHTING TOOLS that accept either CR123A lithium batteries or SL-B26® protected Li-Ion USB rechargeable battery packs. Choosing a rechargeable flashlight system nearly eliminates battery replacement and recycling costs, while dramatically decreasing downstream waste.

- Our “X” SERIES of products provide the perfect blend of performance, durability and cost savings.

If you replace one pair of CR123A batteries each week for 52 weeks, that's 104 disposable batteries per year vs. a single SL-B26 rechargeable battery pack. If your organization has 100 lights in service, the SL-B26 rechargeable system could keep 10,400 batteries out of the waste stream and save your organization tens of thousands of dollars!

- Streamlight's proprietary SL-B26 battery packs feature an integrated safety circuit that protects from overcharge/overdischarge. They charge in 5 hours or less and feature a charge status indicator.

- A variety of power sources can be used to charge this battery platform including USB power cords, charge cradle or bank charger, portable power pack or 12V DC automotive power.

- The rechargeable capabilities of the SL-B26 battery pack gives you an easy field replaceable battery system providing one to use and a fully recharged back-up.



SL-B26 battery packs in eight unit bank charger

STREAMLIGHT, THE TRUSTED BRAND FOR ALL OF YOUR PROFESSIONAL AND PERSONAL LIGHTING NEEDS

#ToolsNotToys

#StreamlightStrong

#OftenImitatedbutNEVERduplicated

RECHARGEABLE LIGHTING SYSTEMS

SL-B26[®] Lithium Ion Battery Pack
pages 4-5



Stinger[®] 2020
see page 6



PolyTac[®] X USB
see page 6



Siege[®] X USB
see page 6



Vantage[®] 180 X USB
see page 7



ProTac HL[®] 5-X USB
see page 8



PolyTac[®] 90 X USB
see page 7



ProTac[®] 90 X USB
see page 8



ProTac[®] 2L-X USB
see page 9



ProTac[®] HL-X USB
see page 9



ALSO WORKS WITH:

BATTERY SOLD SEPARATELY (NOT AVAILABLE AS SYSTEM)

ProTac HL[®] 4
see page 10



ProTac[®] HL USB
Headlamp
see page 10



ProTac[®] HL USB
see page 11



ProTac[®] HPL USB
see page 11



MULTI-FUEL FLEXIBILITY

A NEW WAY TO LOOK AT BATTERIES AND RECHARGEABILITY

THE FLEXIBILITY TO POWER YOUR LIGHT WITH...



OR



SL-B26[®] PROTECTED LITHIUM ION USB RECHARGEABLE BATTERY PACK

The battery that transforms multi-fuel, high-performance lighting tools into rechargeable systems.

USB rechargeable - Features micro-USB input and charge status indicators; charges in 5 hours. Integrated safety circuit protects battery from overcharge.

Charge via USB source or optional charge cradle - or bank charger for departmental use. The charge cradle is ideal for storage as well as to charge your batteries.

BATTERY: 2600mAh SL-B26 protected Li-Ion USB rechargeable battery pack

SIZE: 2.75" [7 cm]

BATTERY WEIGHT: 1.7 oz [48g]

OPTIONAL CHARGE CRADLE

SIZE: 4.5" [11.4cm]

WEIGHT: 2.4 oz [68g]



Features integrated USB port.

Charge status LEDs:

Red = charging

Green = charged



CHARGING



CHARGED

ITEM #	ITEM DESCRIPTION
22102	SL-B26 LI-ION USB RECHARGEABLE BATTERY PACK- 2PK
22100	LI-ION CHARGE CRADLE
22010	LI-ION BATTERY PACK KIT - USB CORD, 2 SL-B26 BATTERY PACKS
22011	LI-ION BATTERY PACK KIT - 120V AC, 2 SL-B26 BATTERY PACKS
22070	40" [101 CM] USB CORD
22081	22" [55.88 CM] USB CORD

ORGANIZE, STORE AND CHARGE

YOUR SL-B26[®] BATTERY PACKS



NFPA Meets requirements of NFPA 1901-14.1.10.2 (2016); mounted in upright position

EIGHT-UNIT LI-ION BANK CHARGER

Charge up to eight batteries with Streamlight's lithium ion battery bank charger. Each charge bay securely holds the battery in place - ideal for mounting on trucks. Low-profile housing (1"; 2.54 cm) requires minimal mounting area.

Charge time = 5.25 hours

Charge indicators over each battery:

- Red = charging
- Green = charged

Charges with or without optional charge cradle. Use the charge cradle for storage as well as to charge your batteries.

BANK CHARGER

SIZE: 10.45" x 4.74"x1" [26.54x12.06x2.54 cm]

WEIGHT: 7.6 oz. [216g] w/o batteries; 20.88 oz. [592g] w/ batteries

ITEM #	ITEM DESCRIPTION
20221	8-UNIT BANK CHARGER - 120V AC
20220	8-UNIT BANK CHARGER - 12V DC
20224	8-UNIT BANK CHARGER - WITH SL-B26 BATTERIES - 120V AC
20223	8-UNIT BANK CHARGER - WITH SL-B26 BATTERIES - 12V DC
44909	120V AC CORD
44923	12V DC CORD



120V AC Charge Cord



12V DC Charge Cord

STINGER® 2020

	HIGH	MEDIUM	LOW
LUMENS:	2,000	850	100
CANDELA:	26,000	12,000	6,000
DISTANCE:	315m	200m	70m
RUN TIME:	2h	4h	24h

STROBE RUNS 3.25 HOURS



Uses two SL-B26™ protected Li-Ion USB rechargeable battery packs



The next evolution in high-performance, work-ready flashlights produces 2,000 lumens. Its aluminum alloy body with textured side panels and an anti-roll design is ergonomically shaped for a sure grip. It features dual power switches and an intuitive mode selector switch for ease of use. Select high for brightest light or low for extended run time.

An SL-B26® USB rechargeable battery pack offers multiple charging options using existing Stinger smart chargers and bank chargers to charge inside the light; use a dual USB cord to charge the battery pack outside the light or a Li-ion battery bank charger to charge multiple batteries at once. IPX7 waterproof to 1m submersion, corrosion-resistant sealed glass lens.

BATTERY: 2 SL-B26 Li-Ion USB rechargeable battery packs
SIZE: 7.67" [19.48cm]
WEIGHT: 12.3 oz [350g]
COLOR: Black

ITEM #	ITEM DESCRIPTION
78101	STINGER 2020 - 120V AC/12V DC
78104	STINGER 2020 - 12V DC
78100	STINGER 2020 - LIGHT ONLY

TAA COMPLIANT

POLYTAC® X USB

Multi-Fuel Design provides you the versatility to use two CR123 batteries or one Streamlight SL-B26™ protected Li-Ion USB rechargeable battery pack. Superior grip texture provides a comfortable/slip-resistant feel. IPX7 - waterproof to 1m for 30 minutes.

BATTERY: SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries
SIZE: 5.46" [13.87 cm]
WEIGHT: 4.4 oz [125g] CR123; 4.9 oz [139g] SL-B26
COLOR: Black, Yellow or Coyote

CLAM	BOX	ITEM DESCRIPTION
88610	88613	POLYTAC X USB - SL-B26 BATTERY PACK & USB CORD - BLACK
88611	88614	POLYTAC X USB - SL-B26 BATTERY PACK & USB CORD - YELLOW
88612	88615	POLYTAC X USB - SL-B26 BATTERY PACK & USB CORD - COYOTE

SIEGE® X USB

LANTERN	HIGH	MEDIUM	LOW
LUMENS:	325	170	30
RUN TIME:	4.5h	7.75h	25h

RED	HIGH	SOS
LUMENS:	1.6	1.6
RUN TIME:	22h	90h



MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A batteries

FLASHLIGHT	HIGH	LOW
LUMENS:	300	40
CANDELA:	6,000	900
DISTANCE:	155m	60m
RUN TIME:	3.5h	25h

Incorporated flashlight produces 300 lumens



The ultimate rechargeable lantern. This 2-in-1 lantern/flashlight combo provides 360° of light to illuminate a large area as well as a focused beam to light your path. Multiple modes to meet all of your lighting needs plus SOS for emergency signaling. IPX7 waterproof.

BATTERY: SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries
SIZE: 4.35" [11.05 cm]
WEIGHT: 7.2 oz [204.12g]
COLOR: Coyote

ITEM #	ITEM DESCRIPTION
44956	SIEGE X USB - WITH SL-B26 BATTERY PACK - COYOTE



	HIGH	MEDIUM	LOW
LUMENS:	600	260	35
CANDELA:	11,485	4,930	675
DISTANCE:	205m	135m	50m
RUN TIME (CR123):	2.75h	5.5h	34h
RUN TIME (SL-B26):	3.5h	5.75h	36h

STROBE RUNS 8 HOURS

MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A batteries

TEN-TAP® Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high

VANTAGE® 180 X USB

This multi-fuel, multi-function light is the most versatile rechargeable firefighter's light. It's a helmet mounted light, right angle light and a hand-held flashlight. The Vantage 180 X USB is a rechargeable system that includes a Streamlight SL-B26™ protected Li-Ion USB rechargeable battery pack with integrated USB port.

Easily attaches above or below the brim of most helmets providing a bright main white LED and blue safety taillight. Quickly detaches for hand-held and clip-on right angle light with white taillight and downcast light to see what's at your feet. IPX7 waterproof.



Head articulates 180° to aim the beam.



Use as a helmet light. Easily attaches above or below brim. No tools necessary to quickly remove for use as a hand-held flashlight

BATTERY: SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries

SIZE: 5.20" [13.20 cm]

WEIGHT: 5.9 oz [167g] [SL-b26]; 5.5 oz [156 g] [CR123A]

COLOR: Black or Orange

ORANGE	BLACK	ITEM DESCRIPTION
88911	88913	VANTAGE 180 X USB - SL-B26 BATTERY PACK

	HIGH	LOW
LUMENS:	250	100
CANDELA:	7,200	2,650
DISTANCE:	170m	103m
RUN TIME (CR123):	4h	12h
RUN TIME (SL-B26):	5h	15h



MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A batteries

NFPA

Meets requirements of NFPA 1971-8.6 (2013); 500° heat resistance test



Includes "quick release" helmet bracket and hex key

Rear LED Taillight changes from blue to white:

- Blue LED for helmet mount use and visibility in heavy smoke
- White LED for a downcast flood light to see what's at your feet; switches from blue when head is at a 90° angle



POLYTAC 90® X USB



	HIGH	LOW
LUMENS:	500	85
CANDELA:	7,000	1,050
DISTANCE:	167m	64m
RUN TIME (CR123):	2.5h	12h
RUN TIME (SL-B26):	3.75h	19h

Flexible, rugged and super bright, the PolyTac 90 X USB is a rechargeable system that includes a Streamlight SL-B26 protected Li-Ion USB rechargeable battery pack. Built with the rigors of the job in mind, it has a durable, waterproof construction. Its power button with a built in battery life indicator will let you know when it is time to recharge your battery giving you the confidence to stay focused on the task at hand.

BATTERY: SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries

SIZE: 4.43" [11.25 cm]

WEIGHT: 4.8 oz. [136g][SL-B26]; 4.3 oz. [122g] [CR123A]

COLOR: Orange, Yellow or Black

NFPA Meets requirements of NFPA 1971-8.6 (2018)



Gear Keeper® Tether features spectra nylon line with 36" extension and 6 oz. retraction force.

ORANGE	YELLOW	BLACK	ITEM DESCRIPTION
88838	88836	88835	POLYTAC 90 X USB - SL-B26 BATTERY PACK
88837	--	--	POLYTAC 90 X USB - SL-B26 BATTERY PACK & GEAR KEEPER

PROTAC® 90 X USB

The MULTI-FUEL ProTac 90 X is an EDC light with a twist. It features a right-angle head that gives extra lighting capability for those with multiple lighting needs. Carry in your hand or attach to your MOLLE, belts, harnesses and other gear for hands-free use.

BATTERY: SL-B26 Li-Ion USB rechargeable battery pack; also accepts 2 CR123A lithium batteries

SIZE: 4.39" (11.1cm)

WEIGHT: 4.9 oz (139g) with SL-B26 battery pack; 4.4 oz. (125g) with CR123A lithium batteries

COLOR: Black



	HIGH	MEDIUM	LOW
LUMENS:	1,000	300	65
CANDELA:	7,350	2,060	450
DISTANCE:	171m	91m	42m
RUN TIME (CR123):	2.5h	4h	21h
RUN TIME (SL-B26):	1.75h	4.75h	24h
STROBE RUNS 2.5 HOURS (CR123); 3.5 HOURS (SL-B26)			

ITEM #	ITEM DESCRIPTION
88095	PROTAC 90 X USB - SL-B26 BATTERY PACK AND HOLSTER

TEN-TAP® Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high

PROTAC HL® 5-X USB

The ProTac HL 5-X features MULTI-FUEL innovation that provides you the versatility to use four CR123 batteries or two Streamlight SL-B26™ protected Li-Ion USB rechargeable battery packs. Multiple battery sources can help reduce down time and keep you powered up. IPX7 waterproof to 1m for 30 minutes.



BATTERY: 4 CR123A lithium or 2 SL-B26 Li-Ion USB rechargeable battery packs

SIZE: 8.63" (21.92 cm)

WEIGHT: 17 oz (482g)

COLOR: Black

ITEM #	ITEM DESCRIPTION
88080	PROTAC HL 5-X USB - 2 SL-B26 BATTERY PACKS, USB CORD & LANYARD - CLAM
88081	PROTAC HL 5-X USB - 2 SL-B26 BATTERY PACKS, USB CORD & LANYARD - BOX

SL-B26	HIGH	MEDIUM	LOW
LUMENS:	3,500	1,000	250
CANDELA:	51,000	14,100	3,620
DISTANCE:	452m	237m	120m
RUN TIME (SL-B26):	1.25h	2.5h	10.5h
STROBE RUNS 1.25 HOURS (SL-B26)			

MULTI-FUEL DESIGN:

Runs on SL-B26 battery packs or CR123A batteries



TEN-TAP® Programmable - choose from three programs:

- high/strobe/low
- high only
- low/med/high

CR123A	HIGH	MEDIUM	LOW
LUMENS:	2,500	1,000	250
CANDELA:	37,000	14,100	3,620
DISTANCE:	385m	237m	120m
RUN TIME (CR123A):	1.5h	2.5h	10.5h
STROBE RUNS 1.5 HOURS (CR123A)			

PROTAC® 2L-X USB

	HIGH	LOW
LUMENS:	500	40
CANDELA:	6,800	600
DISTANCE:	165m	49m
RUN TIME (CR123):	2.75h	30h
RUN TIME (LI-ION):	3.75h	30h
STROBE RUNS 3.25 HOURS (CR123); 4.5 HOURS (LI-ION)		



TEN-TAP® Programmable - choose from three programs:

- high/strobe/low
- high only
- low/high

The ProTac 2L-X features multi-battery versatility - uses two CR123A batteries or one Streamlight protected rechargeable lithium ion battery. It features a push-button tail switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience.

PROTAC® HL-X USB

	HIGH	MEDIUM	LOW
LUMENS:	1,000	400	65
CANDELA:	27,100	10,000	1,600
DISTANCE:	330m	200m	80m
RUN TIME (CR123):	1.25h	3h	20h
RUN TIME (LI-ION):	1.25h	3h	20h
STROBE RUNS 2.5 HOURS (CR123); 3.25 HOURS (LI-ION)			



HL®

TEN-TAP® Programmable - choose from three programs:

- high/strobe/low
- high only
- low/med/high

The ProTac HL-X features multi-battery versatility - uses two CR123A batteries or one Streamlight protected rechargeable lithium ion battery. It features a push-button tail switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience.

MULTI-FUEL DESIGN:

Runs on SL-B26 battery pack or CR123A batteries



MULTI-FUEL DESIGN:

Runs on SL-B26 battery pack or CR123A batteries



BATTERY: SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries

SIZE: 5.14" (13 cm)

WEIGHT: 3.9 oz (111g) CR123A; 4.4 oz (125g) SL-B26

COLOR: Black

ITEM #	ITEM DESCRIPTION
88082	PROTAC 2L-X USB - SL-B26 BATTERY PACK, USB CORD & HOLSTER - CLAM
88083	PROTAC 2L-X USB - SL-B26 BATTERY PACK, USB CORD & HOLSTER - BOX

BATTERY: SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries

SIZE: 5.43" (13.8 cm)

WEIGHT: 5.7 oz (162g) CR123A; 6.2 oz (176g) SL-B26

COLOR: Black

ITEM #	ITEM DESCRIPTION
88084	PROTAC HL-X USB - SL-B26 BATT PACK, USB CORD & HOLSTER - CLAM
88085	PROTAC HL-X USB - SL-B26 BATT PACK, USB CORD & HOLSTER - BOX

THESE PRODUCTS ALSO ACCEPT SL-B26 BATTERY PACKS

[NOT AVAILABLE AS SYSTEMS]

PROTAC HL® USB HEADLAMP

This is the perfect rechargeable headlamp for when your task requires both hands and a bright light with a wide, long-range beam. 90° tilting head reduces neck fatigue. TEN-TAP® Programming lets you choose from three operating modes. IPX4 water-resistant; 1m impact-resistance tested. Multi-fuel capability: includes rechargeable lithium ion battery; also a or protected lithium ion USB rechargeable battery.

BATTERY: Lithium ion; also accepts SL-B26 Li-Ion USB rechargeable battery pack

WEIGHT: 8.1 oz (230g)

COLOR: Black

ITEM #	ITEM DESCRIPTION
61305	PROTAC HL USB HEADLAMP – BLACK
61306	PROTAC HL USB HEADLAMP 120V AC – BLACK

	HIGH	MEDIUM	LOW
LUMENS:	1,000	400	65
CANDELA:	13,500	5,400	900
DISTANCE:	232m	147m	60m
RUN TIME:	1.75h	3.5h	24h



PROTAC HL® 4

This MULTI-FUEL handheld flashlight accepts either four CR123A lithium batteries two Streamlight SL-B26™ protected Li-Ion USB rechargeable battery packs. Multiple battery sources can help reduce down time and keep you powered up. TEN-TAP Programming offers three user selectable programs. IPX7 waterproof to 1m for 30 minutes.

BATTERY: 4 CR123A lithium or 2 SL-B26 Li-Ion USB rechargeable battery packs

SIZE: 8.63" (21.92 cm)

WEIGHT: 17 oz (482g)

COLOR: Black

ITEM #	ITEM DESCRIPTION
88060	PROTAC HL 4 - 4 CR123A LITHIUM BATTERIES - CLAM

	HIGH	MEDIUM	LOW
LUMENS:	2,200	600	60
CANDELA:	30,000	8,300	800
DISTANCE:	346m	182m	56m
RUN TIME (CR123A):	1.5h	4h	40h
RUN TIME (SL-B26):	1.45h	4.25h	43h
STROBE RUNS 2.5 HOURS (CR123A); RUNS 3.5 HOURS (SL-B26)			

TEN-TAP® Programmable - choose from three programs:

- high/strobe/low
- high only
- low/med/high



MULTI-FUEL DESIGN:
Runs on SL-B26 battery packs or CR123A batteries

PROTAC HL® USB

Delivers extraordinary brightness within a wide beam so you can see into those dark corners. Ideal for areas where you need a lot of light to see all around you. Uses rechargeable lithium ion battery; also accepts two CR123A lithium batteries or a Streamlight SL-B26™ protected Li-Ion USB rechargeable battery pack.

BATTERY: Lithium ion battery; also accepts SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries

SIZE: 6.5" (16.5 cm)

WEIGHT: 7.2 oz (204g)

COLOR: Black

ITEM #	ITEM DESCRIPTION
88052	PROTAC HL USB - USB CORD & HOLSTER - CLAM
88054	PROTAC HL USB - 120V AC/12V DC & HOLSTER - CLAM

	HIGH	MEDIUM	LOW
LUMENS:	1,000	400	65
CANDELA:	35,000	4,100	700
DISTANCE:	219m	133m	53m
RUN TIME:	1.5h	3.5h	23h

STROBE RUNS 1.5 HOURS

TEN-TAP® Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high



MULTI-FUEL DESIGN:

Uses lithium ion battery. Also runs on SL-B26 battery pack or CR123A batteries

PROTAC HPL® USB

High performance, high lumen tactical light - it's USB rechargeable, so you can charge on-the-go using almost any USB source. It accepts multiple battery types including a rechargeable lithium ion battery, Streamlight SL-B26™ protected Li-Ion USB rechargeable battery pack or two CR123A lithium batteries so you'll always have power when you need it - reduces down time.

BATTERY: Lithium ion battery; also accepts SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries

SIZE: 7.8" (18 cm)

WEIGHT: 9.24 oz (226g)

COLOR: Black

ITEM #	ITEM DESCRIPTION
88076	PROTAC HPL USB - USB CORD AND HOLSTER - CLAM
88078	PROTAC HPL USB - 120V AC/12V DC AND HOLSTER - CLAM

	HIGH	MEDIUM	LOW
LUMENS:	1,000	400	65
CANDELA:	35,000	14,100	2,250
DISTANCE:	374m	237m	95m
RUN TIME:	1.5h	3h	20h

STROBE RUNS 3 HOURS

TEN-TAP® Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high



MULTI-FUEL DESIGN:

Uses lithium ion battery. Also runs on SL-B26 battery pack or CR123A batteries



STREAMLIGHT®

Streamlight, Inc.
30 Eagleville Road
Eagleville, PA U.S.A 19403
streamlight.com

(800) 523-7488 Toll-Free
(800) 220-7007 Fax
(610) 631-0600
(610) 631-0712 Fax

©2021 Streamlight, Inc. 10/21 ISO 9001:2008 certified 991074 asi/89871

All rights reserved. Trademarks of companies mentioned herein appear for identification purposes only and are the property of their respective companies.