

**PROFESSIONAL GRADE
ILLUMINATION TOOLS**



STREAMLIGHT®

CONTINUOUS INNOVATION & NEW PRODUCTS

IT'S WHAT WE DO.

Since 1973, Streamlight has delivered effective, efficient high-performance lighting solutions. The latest technology delivers unmatched performance, unheard of durability and incredible value. We've earned our reputation one customer at a time. And we're not about to let up now.



STINGER LED HL®//
STINGER DS LED HL® pg. 6



SL-20L® // SL-20LP®
pg. 10



SYCLONE® JR.
pg. 14



SYCLONE®
pg. 14

NEW



VULCAN CLUTCH®
pg. 24



E-FLOOD® LITEBOX®
pg. 25



E-SPOT® LITEBOX®
pg. 25



E-FLOOD® LITEBOX® HL
pg. 25



VULCAN® 180 HAZ-LO®
ATEX pg. 28



SUPER SIEGE®
pg. 30



THE SIEGE®
pg. 31



SIEGE® AA
pg. 31



SIEGE® X USB
pg. 31



SURVIVOR® ATEX
pg. 32



SURVIVOR® X
ATEX pg. 33



VANTAGE® II
pg. 34



2AAA PROPOLYMER®
HAZ-LO® ATEX pg. 38



4AA PROPOLYMER®
LED® pg. 38



2AA PROPOLYMER® HAZ-LO/
HAZ-LO® ATEX pg. 39



TLR-1 HL®
pg. 42



TLR-1®// TLR-1®s
pg. 42



TLR-7® X
pg. 48



TLR-7® X CONTOUR
REMOTE pg. 49



TLR-7® SUB
pg. 50



TLR-8® A
pg. 51



TLR-8® A G
pg. 52



TLR-9®
pg. 52



STINGER® LED// DS® LED
pg. 6



STINGER® 2020
pg. 7



POLYSTINGER® LED
pg. 7



STRION® 2020
pg. 8



STRION DS HL®
pg. 9



STRION® LED
pg. 9



STINGER
SWITCHBLADE® pg. 15



STRION
SWITCHBLADE® pg. 16



BEARTRAP®
pg. 18



PORTABLE
SCENE LIGHT pg. 20



PORTABLE SCENE
LIGHT II pg. 22



VULCAN® 180
pg. 26



VULCAN® LED ATEX
pg. 27



FIRE VULCAN® LED
pg. 28



WAYPOINT®
pg. 29



WAYPOINT® 400
pg. 29



VANTAGE® 180
X USB pg. 34



DUALIE® 3AA ATEX
pg. 35



DUALIE® 3AA LASER
ATEX pg. 35



DUALIE® 2AA/ 2AA
ATEX pg. 36



DUALIE®
RECHARGEABLE pg. 36



DUALIE® 3AA COLOR-RITE
ATEX pg. 37



TLR-2 HL®
pg. 43



TLR-2 HL® G
pg. 43



TLR-2®
pg. 44



TLR-2® G
pg. 44



TLR-3®
pg. 44



TLR-6®
pg. 45



TLR-6® HL / TLR-6® HL G
pg. 46



TLR-10®
pg. 52



TL-RACKER®
pg. 53



TLR® RM 1
pg. 54



TLR® RM 2
pg. 54



TLR® RM 1 Laser R
pg. 55



TLR® RM 2 Laser R
pg. 55

LEADING THE INDUSTRY

WITH THE GREATEST VARIETY OF TACTICAL LIGHTS:



SPEEDLOCKER®
pg. 56



PROTAC® RAIL
MOUNT 1 pg. 57



PROTAC® RAIL
MOUNT 2 pg. 58



PROTAC® RAIL
MOUNT HL-X pg. 58



PROTAC® 2.0 RAIL
MOUNT pg. 59



PROTAC® RAIL MOUNT
HL-X PRO pg. 60



PROTAC® 2AA
pg. 64



PROTAC® 2AAA
pg. 64



PROTAC® 90 X USB/
90 X pg. 65



PROTAC® 2L-X
pg. 65



PROTAC HL® USB
pg. 65



POLYTAC® X
pg. 66



SIDEWINDER
COMPACT® II pg. 70



USB HAZ-LO® HEADLAMP
pg. 73



ENDURO® PRO HAZ-LO®
ATEX pg. 73



PROTAC® 2.0
HEADLAMP pg. 74



TRIDENT®
pg. 74



3AA HAZ-LO®
ATEX pg. 77



SEPTOR®
pg. 77



STREAMLIGHT JR
LED® pg. 78



STREAMLIGHT JR
F-STOP® pg. 78



STYLUS PRO®
pg. 80



CLIPMATE® USB
pg. 81



POCKET MATE®
USB pg. 81



THE LOGO™
pg. 81

STREAMLIGHT

PERFORMANCE. PERIOD.



PROTAC®RAIL MOUNT
HL-X LASER pg. 61



WEDGE®
pg. 62



WEDGE® XT
pg. 62



PROTAC® 2.0
pg. 63



SL-B50® BATTERY
PACK pg. 63



PROTAC® 1L-1AA
pg. 64



POLYTAC® 90
X USB pg. 66



POLYTAC® X
USB pg. 66



SL-B26® BATTERY
PACKS pg. 67



SL-B26® BATTERY &
BANK CHARGER pg. 67



SIDEWINDER STALK™
pgs. 68-69



SIDEWINDER®
pg. 70



TWIN-TASK® USB
HEADLAMP pg. 75



BANDIT® PRO
pg. 75



ENDURO® PRO USB
pg. 76



ENDURO®
pg. 76



MICROSTREAM®
pg. 79



MICROSTREAM® USB
pg. 79



MACROSTREAM®
USB pg. 79



STYLUS® UV
pg. 80



STYLUS REACH®
pg. 80



STYLUS®
pg. 80

**STREAMLIGHT
STINGER SERIES**

**STINGER LED HL® //
STINGER DS LED HL®**

	HIGH	MEDIUM	LOW
LUMENS:	800	400	200
CANDELA:	24,000	12,000	6,000
DISTANCE:	310m	219m	155m
RUN TIME:	1.5h	2.5h	5h
STROBE RUNS 3 HOURS			

[(STROBE)]
Double tap
switch to activate



When you need maximum illumination with a wide beam to view a large area, this rechargeable, high lumen flashlight provides a blast of 800 lumens with 310 meters of beam distance. Three modes allow you to select the right amount of light for your job, extend the run time or use strobe to signal your location. IPX4-rated; water-resistant.

STINGER LED HL
BATTERY: NiMH
SIZE: 21.36 cm
WEIGHT: 352g
COLOR: Black

STINGER DS LED HL
BATTERY: NiMH
SIZE: 22.48 cm
WEIGHT: 364g
COLOR: Black

ITEM #	DESCRIPTION
75429	Stinger LED HL (Without charger)
75456	Stinger DS LED HL - 12V DC

STINGER® LED // STINGER DS® LED

	HIGH	MEDIUM	LOW
LUMENS:	425	200	100
CANDELA:	26,000	12,000	6,000
DISTANCE:	322m	219m	155m
RUN TIME:	3h	5.5h	10h
STROBE RUNS 7.5 HOURS			

[(STROBE)]
Double tap
switch to activate



When your job requires a lighting tool designed for the broadest range of lighting applications, the Stinger LED is the flashlight for you. It provides 322 meters of beam reach as well as bright peripheral light. Three modes and strobe allow you to select the right amount of light for your job or extend the run time. IPX4-rated; water-resistant.

STINGER LED
BATTERY: NiMH
SIZE: 21.36 cm
WEIGHT: 352g
COLOR: Black

STINGER DS LED
BATTERY: NiMH
SIZE: 22.48 cm
WEIGHT: 364g
COLOR: Black

ITEM #	DESCRIPTION
75710	Stinger LED (Without charger)
75712	Stinger LED - 12V DC
75961	Stinger LED - 230V AC
75962	Stinger LED - 230V AC/12V DC - 2 Holders
75812	Stinger DS LED - 12V DC



STINGER® 2020

	HIGH	MEDIUM	LOW
LUMENS:	2,000	850	100
CANDELA:	25,000	10,000	1,200
DISTANCE:	315m	200m	70m
RUN TIME:	2h	4h	24h
STROBE RUNS 3.25 HOURS			



[(STROBE)]
Double tap
switch to activate

The Stinger 2020 uses a long-lasting SL-B26 USB rechargeable battery pack that offers multiple charging options using existing Stinger chargers and bank chargers; use a dual USB cord to charge the battery pack outside the light or a Li-ion battery bank charger to charge multiple batteries at once.

Its aluminum alloy body with textured side panels and an anti-roll design is ergonomically shaped for a sure grip. It features dual power switches and an intuitive mode selector switch for ease of use. Select high for brightest light or low for extended run time. IPX7-rated; waterproof to 1m submersion, corrosion-resistant sealed glass lens.

BATTERY: (2) SL-B26 Li-Ion USB rechargeable battery packs
SIZE: 19.48 cm
WEIGHT: 350g
COLOR: Black

ITEM #	DESCRIPTION
78100	Stinger 2020 (Without charger) - Includes "Y" USB cord
78102	Stinger 2020 - 230V AC/12V DC - 1 Holder
78103	Stinger 2020 - 240V AC/12V DC - 1 Holder

POLYSTINGER® LED

	HIGH	MEDIUM	LOW
LUMENS:	485	240	120
CANDELA:	28,000	14,000	7,000
DISTANCE:	335m	237m	167m
RUN TIME:	3h	5.5h	10h
STROBE RUNS 7.5 HOURS			



[(STROBE)]
Double tap
switch to activate

When working around energized equipment, a non-metallic lighting tool is important. The PolyStinger LED, which is constructed of super-tough, non-conductive nylon polymer, is the right choice. A combination of rechargeability and LED technology provides assurance that your flashlight is always ready to provide the brightness and run time you need to get through your shift. Unbreakable, scratch-resistant polycarbonate lens. IPX4-rated; water-resistant.

BATTERY: NiMH Rechargeable
SIZE: 20.5 cm
WEIGHT: 326g
COLOR: Black or Yellow

ITEM #	DESCRIPTION
76151	PolyStinger LED - 230V AC - Black
76152	PolyStinger LED - 230V AC/12V DC - 2 Holders - Black
76160	PolyStinger LED (Without Charger) - Yellow

STINGER ACCESSORIES

DESCRIPTION	STINGER 2020	STINGER DS LED/ STINGER LED	POLYSTINGER LED
Smart Charger 	75105	75105	75105
NiMH Battery Stick 	—	75375	75375
SL-B26 Battery Pack 	22101 - 1pk 22102 - 2pk	—	—
230V AC Charge Cord 	22061	22061	22061
Red Wand 	75903	75903	75933
Yellow Wand 	75904	75904	75934

STRION® 2020

1,200 LUMENS | MODE SELECT SWITCH: HIGH, MEDIUM, LOW | RECHARGEABLE BATTERY



STRION® 2020

NEW

The Strion 2020 features independently functioning head and tail switches along with an intuitive mode selector switch for ease of use. Select high for brightest light or low for extended run time. Long-lasting lithium-ion rechargeable battery offers multiple charging options using existing Strion smart chargers and bank chargers. IPX7-rated; waterproof to 1m. Corrosion-resistant sealed glass lens.

	HIGH	MEDIUM	LOW
LUMENS:	1,200	460	120
CANDELA:	28,000	10,000	3,000
DISTANCE:	335m	200m	110m
RUN TIME:	1.75h	5.5h	12h
STROBE RUNS 3.5 HOURS			

ITEM #	DESCRIPTION
74432	Strion 2020 - 230V AC/12V DC - 1 Holder
74433	Strion 2020 - 240V AC/12V DC - 1 Holder
74430	Strion 2020 (Without Charger)

**1200
LUMENS**



**Dual
Switch
TECHNOLOGY**

[(STROBE)]
Double tap
switch to activate

Independently functioning
head and tail switches



Mode intensity switch for easy
selection of High, Medium or Low



Battery Status Indicator:
Green = Charged
Red = Needs to be charged

BATTERY: Lithium-ion
SIZE: 16.1 cm
WEIGHT: 161.6g
COLOR: Black

STRION® DS HL®

	HIGH	MEDIUM	LOW
LUMENS:	700	300	40
CANDELA:	12,000	5,000	800
DISTANCE:	219m	141m	57m
RUN TIME:	1.25h	3.5h	24h
STROBE RUNS 2.5 HOURS			



TEN-TAP® Programmable -

choose from three programs:

- high/med/low (w/strobe)
- high only (w/o strobe)
- high/med/low

The Strion DS HL features Dual Switch Technology for ultimate flexibility. It provides maximum illumination with a wide beam pattern, making it ideal for searching a large area.

BATTERY: Lithium-ion

SIZE: 16.08 cm

WEIGHT: 153g

COLOR: Black

ITEM #	DESCRIPTION
74614	Strion DS HL - 12V DC

STRION® LED

	HIGH	MEDIUM	LOW
LUMENS:	375	175	80
CANDELA:	12,000	6,500	3,200
DISTANCE:	219m	161m	113m
RUN TIME:	2.5h	4.75h	9.5h
STROBE RUNS 6.5 HOURS			



[(STROBE)]

Double tap switch to activate

If space in your tool box is limited, you want a flashlight that is small in size without sacrificing power or features. The rechargeable Strion LED is ultra-compact and powerful and features multiple lighting modes. Fully recharges in just 3.5 hours. IPX4-rated; water-resistant. Anti-roll head prevents the light from rolling away when you set it down.

BATTERY: Lithium-ion

SIZE: 14.99 cm

WEIGHT: 148g

COLOR: Black

ITEM #	DESCRIPTION
74300	Strion LED - (Without Charger)

STRION SERIES ACCESSORIES

DESCRIPTION	STRION LED HL	STRION LED	STRION 2020
Charger Holder 	74102	74102	74102
Lithium-ion Battery  NEW	74436	74436	74436
Li-ion Battery Stick 	74175	74175	74175
230V AC Charge Cord 	22061	22061	22061
DC1 Charge Cord (Rechargeables) 	22051	22051	22051



SL-20LP[®]

	HIGH	MEDIUM	LOW
LUMENS:	450	225	60
CANDELA:	70,000	35,000	9,000
DISTANCE:	529m	374m	189m
RUN TIME:	3.25h	5h	20h
STROBE RUNS 4.5 HOURS			

BATTERY: NiMH Rechargeable
SIZE: 33.5 cm
WEIGHT: 590g
COLOR: Black or Yellow

Feature packed, the SL-20LP full sized professional grade, high-intensity, rechargeable flashlight offers high, medium, low and strobe modes. Lightweight, polymer construction, unbreakable, scratch-resistant lens. IPX4-rated; water-resistant.

ITEM #	DESCRIPTION
25302	SL-20LP - 12V DC Smart Charge - Black
25305	SL-20LP - 230V AC/12V DC - (2) Sleeves - Black
25322	SL-20LP - 12V DC Smart Charge - Yellow

SL-20L[®]

	HIGH	MEDIUM	LOW
LUMENS:	450	225	60
CANDELA:	70,000	35,000	9,000
DISTANCE:	529m	374m	189m
RUN TIME:	3.25h	5h	20h
STROBE RUNS 4.5 HOURS			

Full-size, professional grade light that delivers the intense brightness and run times you need for a wide variety of jobs. Unbreakable, scratch-resistant lens. IPX4-rated; water-resistant.

BATTERY: NiMH Rechargeable
SIZE: 33.3 cm
WEIGHT: 770g
COLOR: Black

ITEM #	DESCRIPTION
20705	SL-20L - 230V AC/12V DC - (2) Sleeves



[[STROBE]]
 Double tap
 switch to activate

SL-20P/SL-20LP ACCESSORIES

DESCRIPTION	SL-20L	SL-20LP
CHARGE SLEEVE 	22047	22047
DC1 CHARGE CORD (RECHARGEABLES) 	22051	22051
230V AC CHARGE CORD 	22061	22061
NIMH BATTERY STICK 	77375	77375
RED WAND 	22511	22511
YELLOW WAND 	22519	22519



[[STROBE]]
 Double tap
 switch to activate



// COLOR-RITE TECHNOLOGY®

// WHAT IS COLOR-RITE TECHNOLOGY?

Color-Rite Technology is based on the Color Rendering Index (CRI) -- a scale from 0-100 that indicates how a light source reflects color variations as they appear to the human eye. The higher the CRI, the more vibrant the colors appear. On the scale, lights that measure 90+ are considered "high" CRI lights and are critical for tasks requiring the most accurate color discrimination. A perfect 100 would enable us to see colors as they appear in natural sunlight.

// WHY STREAMLIGHT COLOR-RITE TECHNOLOGY?

Flashlights equipped with Streamlight's proprietary Color-Rite Technology allow users to see the color spectrum as they would in natural light. While a standard high-lumen LED light produces an ultra-bright white beam that is needed in many applications, it prevents seeing subtle color differences in, for example, auto body paint colors or electrical wiring. In contrast, a high CRI light provides a softer, warmer beam to prevent color "washout," allowing the user to see specific colors or imperfections and subtle details, regardless of the task.

// COLOR-RITE® APPLICATIONS FOR EVERY SITUATION

Streamlight offers a family of Color-Rite® lights for situations that require detailed inspections or color differentiation. For markets as diverse as automotive, industrial, law enforcement, military and even outdoor recreation, we have developed high CRI lights with Color-Rite Technology® for a wide variety of tasks that require exacting attention to detail. From repairing electrical wires to inspecting paint finishes or examining forensic evidence, count on Streamlight's Color-Rite® products to help get the job done efficiently and safely. Our family of Color-Rite® products include the following:



STINGER® COLOR-RITE®

Rechargeable, warm white (3,000K) 90 CRI LED with Streamlight's Color-Rite Technology®



DUALIE® 3AA COLOR-RITE®

Intrinsically safe multi-function dual beam flashlight with a cool white LED and a warm white (4000K) 90 CRI LED with Streamlight's Color-Rite Technology®



STINGER SWITCHBLADE®

Five lights in one:
Drop Light | Hands-Free | White Light | Color-Rite® Light (4000K) | UV Light



STRION SWITCHBLADE®

Five lights in one:
Drop Light | Hands-Free | White Light | Color-Rite® Light (4000K) | UV Light



SYCLONE®

Ultra-compact work light with a cool white LED and a warm white (4000K) 90 CRI LED with Streamlight's Color-Rite Technology®



FLIPMATE®

Compact work light with cool white LEDs and warm white (4000K) 90 CRI LEDs with Streamlight's Color-Rite Technology® - each with high and low modes

// A LIGHT FOR EVERY SITUATION

// COLOR-RITE® APPLICATIONS BY MARKET

LAW ENFORCEMENT/MILITARY

- **Improve tracking in low-light conditions.** High CRI lights like the Stinger® Color-Rite® help border patrol and other law enforcement agencies reveal subtle details of tracks and other markings that white LEDs with their bright “hot spots” can miss.
- **Detect trace evidence.** Forensic teams can more clearly spot fingerprints, fibers and other trace evidence on glass and other slick surfaces with high CRI lights such as the Stinger® Color-Rite®.
- **Enhance visualization.** High CRI lights can help cut through murky lake or ocean water, thick smoke or fog, and even heavy dust when pursuing vehicles in rough terrain.

AUTOMOTIVE

- **Match and identify colors.** The Dualie® 3AA Color-Rite®, FlipMate®, Stinger Switchblade®, Syclone® and Strion Switchblade® are ideal for color matching and identifying body imperfections before and after paint repairs.
- **Identify defects.** Paint defects such as swirl marks and color sanding scratches are easily identifiable with high CRI LEDs.
- **Distinguish colors.** When troubleshooting electrical short circuits or other motor vehicle repairs, high CRI lights assist in differentiating colored wires in hard-to-see areas under a hood or carriage.
- **Reduce glare when working in tight spaces.** Because high CRI LEDs reflect back less light than bright white LEDs, mechanics can see greater detail when working in dark, hard-to-reach places underneath a car or under the hood.



INDUSTRIAL

- **Differentiate wire colors in electrical panels.** In plants and other facilities, high CRI lights like the Dualie® 3AA Color-Rite®, FlipMate® and Syclone® provide better color contrast of intricate wires in electrical cabinets, helping technicians to work more efficiently.
- **Spot imperfections.** High CRI lights allow for contrast of color to identify imperfections in finish inspections of products, including parts.
- **Reduce eye fatigue.** The soft lighting of high CRI LEDs reduces eye strain and fatigue for many users.

FIRE/RESCUE/EMS

- **When responding to fires, accidents or other events under low light conditions,** high CRI area lights such as the Dualie® 3AA Color-Rite®, Stinger Switchblade®, and Stinger® Color-Rite® can be essential tools, permitting first responders to see the color spectrum as they would in natural daylight.
- High CRI lights also allow investigators to see specific colors, imperfections and subtle details when examining fire or accident scenes and gathering evidence.

OUTDOOR RECREATION

- **Identify blood trails.** State-of-the-art blood trailing technology in high CRI lights, such as the Stinger® Color-Rite®, reduces certain colors in the spectrum to better amplify blood trails.
- **Visualize in low-light conditions.** Hikers and other outdoor enthusiasts use high CRI lights like the Dualie® 3AA Color-Rite® to better see obstacles when navigating trails at night and under other low-light conditions.

STREAMLIGHT WORK LIGHT SERIES



SYCLONE® JR.

The ultra-compact designed Sycclone Jr. produces bright white light for everyday use. It fits in small spaces to illuminate the work area without getting in the way. Go hands-free with its stowable hook. USB rechargeable. 360° rotating body aims the beam where you need it; easy to rotate with one hand - no need to juggle tools. Small, unique design with a bright light to get those hard to reach places!

BATTERY: Lithium polymer
SIZE: 5.18 cm
WEIGHT: 57g
COLOR: Red

COOL WHITE	HIGH	LOW
LUMENS:	210	85
DISTANCE:	79m	49m
RUN TIME:	3.75h	8.5h

ITEM #	DESCRIPTION
61530	Sycclone Jr. - Includes Micro-USB cord



Stowable hang hook



Multi-function push-button switch with charge indicators.

Battery charges in approx. 4.5 hours

SYCLONE®

Inspect, identify and repair with the Sycclone. It produces bright white light for everyday use or warm white (4,000K) high CRI light with Streamlight's Color-Rite Technology® for paint matching or identifying color differences in wires. Ultra-compact design doesn't get in the way and fits in small spaces. Go hands-free with the flat, magnetic base and stowable hook. USB rechargeable. 360° rotating body aims the beam where you need it; easy to rotate with one hand - no need to juggle tools.



Hands-free applications:
 1.) Magnetic base
 2.) Stowable hang hook

BATTERY: Lithium polymer
SIZE: 7.54 cm
WEIGHT: 150g
COLOR: Red



SPOT/COOL WHITE	HIGH	MEDIUM	LOW
LUMENS:	400	200	100
DISTANCE:	141m	95m	72m
RUN TIME:	2h	4.5h	9.5h

FLOOD/90 CRI	HIGH	MEDIUM	LOW
LUMENS:	300	150	75
DISTANCE:	48m	35m	24m
RUN TIME:	2h	4h	8h

COLOR TEMPERATURE: 4,000K




- 1.) Cool white LED for bright, white light
- 2.) 90 CRI LED - Color-Rite Technology - distinguish between similar colors - for paint matching or checking wires

ITEM #	DESCRIPTION
61510	Sycclone - Includes Micro-USB cord

STINGER SWITCHBLADE®

	COOL WHITE	HIGH CRI (90)	UV LED
LUMENS:	800	600	500 mW
RUN TIME:	3.75h	3.75h	15h
COLOR TEMPERATURE: 4,000K			



The Stinger Switchblade rechargeable area light is five lights in one: a droplight, hands-free light, UV light, bright white light and a warm white (4000K) high CRI light with Streamlight's Color-Rite Technology®. The blade of the Switchblade can rotate 180° on the body. Soft detents will hold the blade in your desired position, and the light will stand on its tail with the light bar in any position. There are multiple ways to hook and hang the light. Use the hooks on the base plate or the retractable hook for many hanging options. The weighted base also includes magnets that will hold the light (in any orientation) to provide task-specific illumination.

Color-Rite®



Scan for video

Hands-free applications:

- 1.) Tail-end magnet
- 2.) Stowable hang hook
- 3.) Foot provides stability to stand upright; lip offers a secondary hook option

BATTERY: Lithium-ion


SIZE: Folded - 24.89 cm // Extended - 43.18 cm

WEIGHT: 485g

COLOR: Red



ITEM #	DESCRIPTION
76802	Stinger Switchblade - 230V AC - 1 Holder
76800	Stinger Switchblade - Includes Micro-USB cord



STREAMLIGHT WORK LIGHT SERIES

STRION SWITCHBLADE®

	COOL WHITE	HIGH CRI (90)	UV LED
LUMENS:	500	400	500 mW
RUN TIME:	3h	3h	5h
COLOR TEMPERATURE: 4,000K			



Scan for video



Inspect, identify and repair with the Strion Switchblade. It's five lights in one: a droplight, hands-free light, UV light, bright white light and a warm white (4000K) high CRI light with Streamlight's Color-Rite Technology®. Lithium-ion battery charges in 4 hours. Charge using existing Strion chargers or USB source.



Hands-free applications:
 1.) Tail-end magnet
 2.) Stowable hang hook
 3.) Foot provides stability to stand upright; lip offers a secondary hook option

Color-Rite®



180° rotating light bar aims the beam where you need it



Double-sided light bar:
 1.) 90 CRI LEDs - Color-Rite Technology - distinguish between similar colors - for paint matching, checking wires, etc.
 2.) UV LED for leak detection
 3.) Cool white LEDs for bright, white light



Tail cap twists off to quickly and easily replace battery



Charge via USB source

BATTERY: Lithium-ion
SIZE: Folded - 15.24 cm // Extended - 27.3 cm
WEIGHT: 181g
COLOR: Red

ITEM #	DESCRIPTION
74850	Strion Switchblade - Includes Micro-USB cord





BEARTRAP®

FLOOD	HIGH	MEDIUM	LOW
LUMENS:	2,000	1,000	575
CANDELA:	1,200	680	360
DISTANCE:	69m	52m	38m
RUN TIME:	2.5h	5h	8.75h

SPOT	HIGH	MEDIUM	LOW
LUMENS:	1,000	450	325
CANDELA:	7,500	3,600	2,500
DISTANCE:	174m	120m	100m
RUN TIME:	4.5h	8.75h	12.5h

Inspect, identify and repair with the multi-function BearTrap worklight. Experience high power and big performance. It produces bright white light in both spot and flood modes.

Go hands-free - it clamps virtually anywhere or stands on its own, allowing you to illuminate hard-to-get-to spaces like under the dash; also features a magnetic base and stowable hook.

Tough thermoplastic construction. Chemical-resistant lens - withstands most common automotive chemicals. IPX4-rated; water resistant; 1m impact resistance tested.



Hands-free applications:
 1.) Clamps virtually anywhere
 2.) Magnetic base
 3.) Hang hook
 4.) Stands on its own



Flood fills your work area with evenly dispersed, bright light

Spot provides a concentrated beam

Each with high, medium and low modes

Rubberized grip surface - designed to prevent scratches



Secure cord connection
 Rechargeable,
CONTINUES TO CHARGE WHILE PLUGGED IN AND IN USE
 Lithium-ion battery
 recharges in 5.5 hours



**2000
LUMENS**



Multi-function push-button switch with battery life indicator
 Recessed power button prevents accidental actuation
 Battery level indicator turns red when battery needs to be charged

ITEM #	DESCRIPTION
61521	BearTrap - Int'l (230V/240V) AC
44923	12V DC cord

BATTERY: Lithium-ion
SIZE: 19.37 cm
WEIGHT: 992g
COLOR: Red



STREAMLIGHT SCENE LIGHT SERIES

PORTABLE SCENE LIGHT

	HIGH	MEDIUM	LOW
LUMENS:	5,300	2,500	1,300
CANDELA:	42,000	21,300	11,600
DISTANCE:	410m	292m	215m
RUN TIME:	4h	9h	18h

The Portable Scene Light provides rapid deployment on site, and it goes anywhere. It extends to full height within seconds and features a 90° swivel neck to shine light into the most out-of-the-way places.

Three levels of lighting and substantial run time last through several shifts. Its unique diffuser lets you select a flood or spot beam in all three levels.

Designed to adapt to tight spaces, it's also rugged enough to withstand rough terrain. Use it to light the way to your work site and set it up quickly to illuminate the entire area.

Two models:

Portable Scene Light - features a telescoping pole that extends to 82.88 cm

Portable Scene Light EXT - features a longer telescoping pole that extends to 213.36 cm



PORTABLE SCENE LIGHT

BATTERY: Zero-maintenance, sealed lead acid
Can also be powered by 12V DC power cord

SIZE: 57.2 cm

WEIGHT: 11.3kg

COLOR: Yellow

PORTABLE SCENE LIGHT EXT

BATTERY: Zero-maintenance, sealed lead acid
Can also be powered by 12V DC power cord


SIZE: 64.8 cm

WEIGHT: 11.6kg

COLOR: Yellow



ITEM #	DESCRIPTION
45671	Portable Scene Light - 230V AC/12V DC
45672	Portable Scene Light - 240V UK AC/12V DC
45681	Portable Scene Light EXT - 230V AC/12V DC






Portable Scene Light EXT: pole extends to 213.36 cm

Extends to full height with the stabilization legs fully deployed and locked in less than 30 seconds



Portable Scene Light: pole extends to 182.88 cm

Balanced design; lead acid batteries provide ballast and stability



Special Features:

- Full deployment in 30 seconds
- Designed to resist 40mph wind continuous in all directions with head fully extended
- Unlimited run time using AC/DC power source
- IP67 rated; dust-tight and **WATERPROOF TO 1M FOR 30 MINUTES**
- Stabilization legs provide balance on uneven surfaces



PORTABLE SCENE LIGHT II


10000
LUMENS

	100%	80%	60%	40%	20%
LUMENS:	10,000	8,300	6,300	4,500	2,300
RUN TIME:	2h	2.75h	3.75h	5.75h	11h

Turn to a higher power with the Portable Scene Light II. 18 LEDs produce 10,000 lumens to light up the entire scene. With zero deployment time, it features a compact footprint, 360° rotating head and it's stackable for "light tower" capability with multi-level lighting. High-impact thermoplastic housing mounted in a virtually indestructible alloy steel frame. Hooked feet for hanging over doors, guard rails, fences, etc.

The perfect scene light for marking exits, post fire investigation, fire ground clean-up, mobile triage center lighting, etc.

BATTERY: Lithium-ion

SIZE: 40.6 cm

WEIGHT: 7.06kg

COLOR: Red



Digital display shows intensity level and run time



Toggle switch - choose from 5 intensity levels

ITEM #	DESCRIPTION
46001	Portable Scene Light II - 230V AC/12V DC - Includes AC/DC charge cord
46002	Portable Scene Light II - 240V UK AC/12V DC - Includes AC/DC charge cord

CORDLESS AND COMPACT PREVENTS TRIP HAZARDS

TAKE YOUR WORK SITE FROM THIS:



TO THIS:



The Portable Scene Light II makes your work site safer and clean up easier. It's cordless and compact so it removes trip hazards and is easy to maneuver around. Stackable for "light tower" capability, individual units feature a 360° rotating head to aim the beam for multi-level lighting. Lightweight - about 7 kilograms - so if you need to grab one off the stack and move to another location, it won't weigh you down.


Special Features:

- Portable, cordless, ultra compact
- Zero deployment time
- Virtually indestructible alloy steel frame
- Unlimited run time using AC/DC power source
- Batteries will continue to charge while in use
- IPX7-RATED; WATERPROOF TO 1M FOR 30 MINUTES

Use a single unit or stack for multi-level lighting



Hang over doors, guard rails, fences, etc.



VULCAN CLUTCH® // **NEW**

The Vulcan Clutch, with its 20 degree downward-angled head is designed to illuminate your path so you can navigate to your destination safely and efficiently. Once on-site, clamp it virtually anywhere and articulate the head to direct the beam where you need it. Flash mode for use as an exit marker or warning beacon.

Three white LEDs produce extreme brightness and two ultra-bright blue taillight LEDs provide visibility in thick smoke. A large handle enables smooth handoffs even with gloves. IP67-rated; waterproof to 1 m for 30 minutes; 2m impact resistance tested. Uses the same mounting rack as the Vulcan 180.

	HIGH	LOW
LUMENS:	1,700	380
CANDELA:	67,500	15,000
DISTANCE:	520m	245m
RUN TIME:	6.5h	18h
FLASH RUNS 25 HOURS		

**1700
LUMENS**

BATTERY: Lithium-ion Rechargeable
SIZE: 23.85 cm
WEIGHT: 1.288kg
COLOR: Yellow or Orange

NFPA
Charging rack meets requirements
of NFPA 1900-11.1.11.2 (2024)
mounted in any position

ITEM #	DESCRIPTION
44362	Vulcan Clutch - 230V AC/12V DC - Includes quick release shoulder strap - Orange
44372	Vulcan Clutch - 230V AC/12V DC - Includes heavy duty shoulder strap - Yellow

Large, multi-function, push button switch easy to use with gloved hands.



Orange model includes quick release shoulder strap.



Yellow model includes heavy duty shoulder strap.



Battery status/charge indicator



Taillight LEDs ensure you can be seen even from behind



340° articulating head



Versatile clamping handle

E-FLOOD® LITEBOX®



	HIGH	LOW
LUMENS:	615	330
CANDELA:	4,000	2,150
DISTANCE:	126m	93m
RUN TIME:	8h	18h

NFPA

Charging rack meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position

Six LEDs spread light over an entire area. An extended run time – 18 hours on low – allows you to keep large areas illuminated no matter how long your shift lasts. With its swivel head, you can point light right where it's needed. Includes heavy duty shoulder strap.

BATTERY: Zero-maintenance 6V, 12 Ah sealed lead acid
SIZE: 29.2 cm
WEIGHT: 3.58kg
COLOR: Yellow or Orange

ITEM #	DESCRIPTION
45808	E-Flood LiteBox Power Failure System - 230V AC/12V DC - Includes mounting rack - Orange
45822	E-Flood LiteBox Standard System - 230V AC/12V DC - Includes shoulder strap & mounting rack - Yellow

E-SPOT® LITEBOX®



	HIGH	LOW
LUMENS:	540	330
CANDELA:	55,000	32,000
DISTANCE:	469m	358m
RUN TIME:	7h	15h

NFPA

Charging rack meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position

Three LEDs spotlight an area with focused bright light so you can search or inspect from a distance. Its beam produces a concentrated, bright light. It features a swivel head that makes it easy to inspect high bays, ceilings, and out-of-the-way places. IPX4-rated; water-resistant. Includes heavy duty shoulder strap.

BATTERY: Zero-maintenance 6V, 12 Ah sealed lead acid
SIZE: 29.2 cm
WEIGHT: 3.58kg
COLOR: Yellow or Orange

ITEM #	DESCRIPTION
45858	E-Spot LiteBox Power Failure System - 230V AC/12V DC - Includes shoulder strap & mounting rack - Orange
45872	E-Spot LiteBox Standard System - 230V AC/12V DC - Includes shoulder strap & mounting rack - Yellow

E-FLOOD® LITEBOX® HL

The E-Flood LiteBox HL features six ultra-bright white LEDs that produce 5,300 lumens to flood an entire area with light. An integrated diffuser lets you select from a flood and spot lens in three lighting intensities and a 90° swivel neck lets you aim light where it's needed. It's ideal for illuminating a rescue scene or any site that requires a large flood beam.

BATTERY: Zero-maintenance 12V sealed lead acid
SIZE: 31 cm
WEIGHT: 4.7kg
COLOR: Orange

NFPA

Charging rack meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position

ITEM #	DESCRIPTION
45662	E-Flood LiteBox HL Standard System - 230V AC/12V DC - Includes shoulder strap & mounting rack
45070	Standard System Mounting Rack

	HIGH	MEDIUM	LOW
LUMENS:	5,300	2,500	1,300
CANDELA:	42,000	21,300	11,600
DISTANCE:	410m	292m	215m
RUN TIME:	1.75h	4.5h	10h



HL®



STREAMLIGHT
VULCAN SERIES

VULCAN® 180 HAZ-LO® ATEX

The Vulcan 180 HAZ-LO was developed for use in hazardous locations on a portable scene light platform. It features a 180° articulating head to aim the beam for scene lighting.


Combine the three extremely bright white LEDs with cordless operation to eliminate trip hazards while two ultra-bright blue taillights provide visibility in thick smoke. IP65-rated; dust-tight and water-resistant.

BATTERY: Lithium-ion
SIZE: 18.8 cm
WEIGHT: 1.12kg
COLOR: Orange

	HIGH	LOW
LUMENS:	450	130
CANDELA:	25,000	8,000
DISTANCE:	316m	179m
RUN TIME:	16.5h	32h



ITEM #	DESCRIPTION
44342	Vulcan 180 HAZ-LO ATEX - 230V AC/12V DC - Includes AC/DC chargers and quick release shoulder strap
44343	Vulcan 180 HAZ-LO ATEX - 240V UK AC/12V DC - Includes AC/DC chargers and quick release shoulder strap



NFPA Charging rack meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position

VULCAN® 180

	HIGH	LOW
LUMENS:	1,200	350
CANDELA:	75,000	22,000
DISTANCE:	548m	296m
RUN TIME:	5.75h	16h



The lightest portable lantern of its kind, the Vulcan 180 is designed to burn brighter and run longer making it an essential firefighting tool. This rechargeable, waterproof lantern has a 180° tilting head which allows you to direct the light where you need it. Three LEDs bring you extreme brightness along with two blue taillight LEDs for visibility in thick smoke. IP64-rated; dust-tight and water-resistant.

BATTERY: Lithium-ion
SIZE: 11.8 cm
WEIGHT: 1.11kg
COLOR: Orange or Yellow

NFPA
Charging rack meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position

SGS
Class I, Div. 2, Grps. A, B, C, D;
Class II, Div. 2, Grps. F, G;
Class III; T-Code: T4



Taillight LEDs ensure you can be seen even from behind and can be programmed on or off



ITEM #	DESCRIPTION
44302	Vulcan 180 Standard System - 230V AC/12V DC - Includes AC/DC chargers and heavy duty shoulder strap - Yellow - Div 2
44312	Vulcan 180 Standard System - 230V AC/12V DC - Includes AC/DC chargers and quick release shoulder strap - Orange - Div 2

VULCAN® LED ATEX

	HIGH	LOW
LUMENS:	180	70
CANDELA:	100,000	40,000
DISTANCE:	632m	400m
RUN TIME:	3.5h	7.5h
BLINK: RUNS 5.5 HOURS		

This ATEX-rated rechargeable LED lantern is lightweight, weighing only 875 grams. Its tight beam is optimal for firefighting applications. Easy to use dual-direction toggle switch is easy to use with gloved hands. Its lithium-ion battery recharges in 5 hours. It is IP66-rated; dust tight and water-resistant. 2m impact resistance tested.



BATTERY: Lithium-ion
SIZE: 19.76 cm
WEIGHT: 875g
COLOR: Orange

ITEM #	DESCRIPTION
44753	Vulcan LED ATEX Standard System - 230V AC/12V DC - Includes quick release shoulder strap
44751	Vulcan LED ATEX Vehicle Mount System - 12V DC - Includes direct wire rack and quick release shoulder strap

Ex II 3G Ex ec ic IIC T5 Gc
 II 3D Ex tc IIIC T54°C Dc
 FTZU 08 ATEX D139X

IEC **IECEX** Ex ec ic IIC T5 Gc
 Ex tc IIIC T54°C Dc
 IECEX FTZU 15.0038X

NFPA

Charging rack meets requirements of
 NFPA 1900-11.1.1.2 (2024)
 mounted in any position



FIRE VULCAN® LED

This lightweight lantern features two ultra-bright blue taillight LEDs that help you be seen even in thick smoke. It is IPX7-rated; waterproof to 1m for 30 minutes, and it floats! Programmable light functions let you control the order in which the modes come on. Other features include an unbreakable, scratch-resistant, O-ring sealed lens and a quick-release shoulder strap.

	HIGH	LOW
LUMENS:	180	80
CANDELA:	100,000	45,000
RUN TIME:	5h	10h

BATTERY: Lithium-ion
SIZE: 19.05 cm
WEIGHT: 839g
COLOR: Orange



Class I, Div. 2, Grps. A, B, C, D;
 Class II, Div. 2, Grps. F, G;
 Class III, T-Code: T4

NFPA

Charging rack meets requirements
 of NFPA 1900-11.1.1.2 (2024)
 mounted in any position

ITEM #	DESCRIPTION
44452	Fire Vulcan LED Standard System - 230V AC/12V DC - Includes AC/DC chargers and quick release shoulder strap (T-4A)

LANTERN ACCESSORIES

ACCESSORY	PART #	GOES WITH
Portable Scene Light Series Power Supply 	22083	Portable Scene Light Series
Power supply 230V AC Plug 	22075	Portable Scene Light Series
Power supply 240V UK AC Plug 	22076	Portable Scene Light Series
230V AC Charge Cord 	22086	Litebox Series
Battery - Lithium-Ion 	44366	Vulcan Clutch
Battery - Lithium-Ion 	44351	Vulcan 180
Battery Replacement 	45937	Litebox Series
Battery - Lithium-Ion 	44610	Fire Vulcan LED
Standard System Mounting Rack - Orange 	45070	Litebox Series



WAYPOINT®

	HIGH	LOW
LUMENS:	550	40
CANDELA:	100,000	7,900
DISTANCE:	625m	178m
RUN TIME:	10h	82h

12V DC POWER CORD - UNLIMITED RUN TIME
EMERGENCY SIGNAL: RUNS 82 HOURS



Polymer storage mount (included)

Use the bright, long-distance beam of the Waypoint as a spotlight to illuminate far-off objects. It features an integrated stand to set it down for hands-free lighting. It's the perfect light for line inspections or looking for addresses or any other objects you can't get close to easily. 12V DC power cord for unlimited run time (does not charge batteries). IPX4-rated; water-resistant.

BATTERY: (4) "C" batteries (not included)
SIZE: 17.15 cm
WEIGHT: 816g
COLOR: Yellow or Black

ITEM #	DESCRIPTION
44900	Waypoint - Includes 12V DC power cord and mount - Box - Yellow
44902	Waypoint - Includes 12V DC power cord and mount - Box - Black



WAYPOINT® 400

	HIGH	MEDIUM	LOW
LUMENS:	1,400	600	38
CANDELA:	400,000	165,000	10,000
DISTANCE:	1,265m	812m	200m
RUN TIME:	3.25h	7.5h	84h



Polymer storage mount (included)

The rechargeable Waypoint 400 produces a far-reaching beam that reaches into corners and illuminates high ceilings and other out-of-reach places. IPX8-rated; waterproof to 2m and it floats. High, medium and low modes provide the right amount of light and run time needed to complete your task. An integrated stand for hands-free area lighting. Recharges in 4 hours.

BATTERY: Lithium-ion
SIZE: 17.15 cm
WEIGHT: 691g
COLOR: Yellow or Black

ITEM #	DESCRIPTION
44920	Waypoint 400 - 230V/240V AC - Includes polymer holder - Yellow
44921	Waypoint 400 - 240V/240V AC - Includes polymer holder - Black





THE MOST VERSATILE LANTERN FAMILY
FEATURES THE HARDEST
WORKING
SIEGE LANTERN.

SUPER SIEGE®

The Super Siege rechargeable scene light/work lantern provides 360° of bright light that illuminates an entire scene. A rechargeable lithium-ion battery supplies the power to charge your Streamlight flashlights, smartphones and tablets. Remove the globe cover and hang the Super Siege upside down by its D-ring for large area lighting needs. Use the Glare Guard™ to shield light from 1/2 the globe for up-close task lighting. Set it to SOS mode for emergency situations. Working in a grueling environment? No problem! A rubber base keeps it stable on slippery or uneven surfaces, and a watertight storage compartment keeps small items dry. IPX7-rated; waterproof to 1m. It floats. Charges in 7 hours.



Rechargeable lithium-ion battery supplies the power for the lantern as well as enabling you to recharge all your electronic devices from the handy USB port

WHITE	HIGH	MEDIUM	LOW
LUMENS:	1,100	550	125
RUN TIME:	5.75h	11.5h	36.25h

RED	HIGH	SOS	LOW
LUMENS:	2.7	2.7	1
RUN TIME:	140h	320h	348h

BATTERY: Rechargeable lithium-ion battery
SIZE: 19.05 cm
WEIGHT: 867g
COLOR: Yellow

ITEM #	DESCRIPTION
44946	Super Siege Int'l AC - Yellow
44948	Super Siege Int'l AC - Coyote



A small dry storage area is provided in the lights base for all your "keep dry" needs

THE SIEGE®

WHITE	HIGH	MEDIUM	LOW
LUMENS:	540	275	55
RUN TIME:	30h	70h	295h
RED	HIGH	SOS	
LUMENS:	10	10	
RUN TIME:	235h	430h	

With [(RED SOS)]



Features rugged carry handle and D-rings for hanging



Magnetic Accessory Base



The Siege is brighter, more durable, and much more versatile than other emergency/camping lanterns. It's bright enough to light up a whole campsite. It runs for over 30 hours on high and over 12 days on low! Its handle and D-rings allow you to hang it or clip it almost anywhere, upright or inverted. It has 3 white light settings, a red light for softer, less intense light, and an SOS mode. Remove the top for brighter light. Battery indicator flashes to alert you to low battery. Waterproof to 1m; it floats.

BATTERY: (3) "D" batteries
SIZE: 18.42 cm
WEIGHT: 878.83g
COLOR: Coyote

ITEM #	DESCRIPTION
44931	The Siege

SIEGE® X USB

The ultimate rechargeable lantern. This 2-in-1 lantern/flashlight combo provides 360° of light to illuminate a large area as well as a focused beam to light your path. Multiple modes to meet all of your lighting needs plus SOS for emergency signaling. IPX7-rated; waterproof.

BATTERY: SL-B26 Li-Ion USB rechargeable battery pack; also accepts (2) CR123A lithium
SIZE: 11.05 cm
WEIGHT: 204.12g
COLOR: Coyote

FLASHLIGHT	HIGH	LOW
LUMENS:	300	40
CANDELA:	6,000	900
DISTANCE:	155m	60m
RUN TIME:	3.5h	25h

ITEM #	DESCRIPTION
44956	Siege X USB - Includes SL-B26 battery pack & Micro-USB cord
22102	SL-B26 Battery Pack - 2pk


SIEGE® AA

WHITE	HIGH	MEDIUM	LOW
LUMENS:	200	100	50
RUN TIME:	7h	15.5h	37h
RED	HIGH	SOS	
LUMENS:	.7	.7	
RUN TIME:	192h	288h	

With [(RED SOS)]



The Siege AA lantern features one white LED and two red LEDs. There are five output modes and a battery level indicator built into the on/off button. Use the lantern with or without the outer globe cover. Battery indicator flashes to alert you to low battery. Waterproof to 1m; it floats.



The yellow Siege AA has three strong magnets in the base. It's a versatile, hands-free work light that can be attached to steel surfaces like engines, machines, or other equipment.

BATTERY: (3) "AA" alkaline (not included)
SIZE: 13.82 cm
WEIGHT: Yellow w/Magnetic Base - 258g // Coyote without base - 249.47g
COLOR: Yellow or Coyote

ITEM #	DESCRIPTION
44941	Siege AA - Coyote
44943	Siege AA - Yellow w/magnetic base

LANTERN	HIGH	MEDIUM	LOW
LUMENS:	325	170	30
RUN TIME:	4.5h	7.75h	25h
RED	HIGH	SOS	
LUMENS:	1.6	1.6	
RUN TIME:	22h	90h	



MULTI-FUEL DESIGN:
 Runs on SL-B26 battery pack or CR123A batteries



Incorporated flashlight produces 300 lumens

THE MOST TRUSTED RIGHT ANGLE LIGHT

THIN, BRIGHT & EXTREMELY VERSATILE SURVIVOR ATEX



SURVIVOR® ATEX

The Survivor ATEX is the leading Zone 0 right angle light. Popular among firefighters, this clip-on flashlight has a slim, low-profile design and bezel to prevent snagging on equipment and gear. Its spring-loaded clip easily attaches to belts and harnesses, and the rubber dome push button switch is designed for easy operation even with heavy gloves.

Four lighting modes include high, low, flash and moonlight. The Survivor ATEX has two interchangeable Smoke Cutter plugs to help create your desired beam pattern. The black plug significantly reduces peripheral light for a tighter beam. The amber plug reduces peripheral light and eye fatigue caused by glare. Without either plug, you get the traditional Survivor beam.

All openings are O-ring sealed. IP66-rated; dust-tight and water-resistant; 2m impact resistance tested. Unbreakable, scratch-resistant polycarbonate lens. Available in both alkaline and rechargeable models.

BATTERY: Rechargeable NiMH battery pack; also accepts (4) "AA" alkaline batteries

SIZE: 17.92 cm

WEIGHT: Alkaline - 388g // NiMH - 354g

COLOR: Orange

ITEM #	DESCRIPTION
90562	Survivor ATEX - 230V AC/12V DC
90563	Survivor ATEX - 240V AC/12V DC
90567	Survivor ATEX - Alkaline Model
90566	Survivor ATEX (Without Charger)



	HIGH	LOW
LUMENS:	175	60
CANDELA:	41,000	14,000
DISTANCE:	405m	237m
RUN TIME (RECH):	3.5h	10h
RUN TIME (ALK):	8h	20h
MOONLIGHT MODE: RUNS 15 DAYS		
FLASH: RUNS 5 HOURS		



Ex ia op is IIB T3/T4 Ga
Ex ia op is IIC T3/T4 Gb
IECEX FTZU 15.0029X



II 1G Ex ia op is IIB T3/T4 Ga
II 2G Ex ia op is IIC T3/T4 Gb
FTZU 15ATEX 0046X

SURVIVOR[®] X ATEX

	HIGH	LOW
LUMENS:	250	60
CANDELA:	50,000	14,000
DISTANCE:	447m	237m
RUN TIME (LI-ION):	3.75h	15h
RUN TIME (ALK):	5h	15h
FLASH: RUNS 8 HOURS		



The Survivor X ATEX provides added features and increased output. Uses lithium-ion battery pack that is easily interchangeable with alkaline batteries as a backup on-scene. IP67-rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested. Lightweight design because we understand that when carrying a lot of gear, every ounce counts.

BATTERY: Rechargeable lithium-ion battery pack; also accepts (3) "AA" alkaline

SIZE: 17.92 cm

WEIGHT: Alkaline - 363g // Lithium-ion - 346g

COLOR: Orange

ITEM #	DESCRIPTION
90973	Survivor X ATEX - 230V AC/12V DC
90974	Survivor X ATEX - 240V AC/12V DC
90970	Survivor X ATEX - Alkaline



Strong spring-loaded clip securely grabs onto belts and gear; D-ring provides forward hanging orientation

Battery life indicator in switch: -Green indicates full charge
-Turns red when battery is nearing low voltage
-Flashes red continuously when 15 minutes left of battery



II 1G Ex ia IIC T3/T4 Ga
II 2D Ex ib IIB T270°C Db
SGS 22ATEX 0081



II 1G Ex ia IIC T3/T4 Ga
II 2D Ex ib IIB T270°C Db
IECEx BAS22.0045



SURVIVOR[®] ACCESSORIES

DESCRIPTION	SURVIVOR ATEX	SURVIVOR X ATEX
Smart Charger 	90345	---
Lithium-ion Battery 	90316	90341
NIMH Battery 	90339	---
SL-B26 Battery Pack 	---	22101 - 1pk 22102 - 2pk
DC1 Charge Cord (Rechargeables) 	22051	22051
230V AC Charge Cord 	22061	22061

Notice: The Survivor X is not compatible with legacy Survivor chargers; however, the new charger WILL charge both Streamlight's Legacy Survivors as well as the new Survivor X.

SURVIVOR[®] X IMPROVED CHARGER DESIGN

Improved charger design:

- Survivor X securely locks into the charger - fits snugly in place
- Quick release latch for one-handed grab-and-go
- Easy to remove with gloved hands
- Charge indicator shines solid red when charging and solid green when charged



STREAMLIGHT
VANTAGE SERIES

VANTAGE® II

Lightweight, compact and low profile, the Vantage II is designed to easily attach to Slotted Industrial Hard Hat mounts. The light features the latest in power LED technology combined with an ultra-bright blue LED safety taillight. Powered by a single lithium battery, sealed for water-resistance.

Attaches securely to your hard hat in seconds!



BATTERY: (1) CR123A lithium
SIZE WITH INDUSTRIAL MOUNT: 6.02 cm
INDUSTRIAL MOUNT WEIGHT: 84.2g
COLOR: Black

ITEM #	DESCRIPTION
69333	Vantage II - Includes industrial hard hat mount and (1) CR123A lithium battery - Box

	HIGH	LOW
LUMENS:	350	135
CANDELA:	3,500	1,700
DISTANCE:	118m	80m
RUN TIME:	2.25h	5h

NFPA
Meets requirements of
NFPA 1971-8.6 (2013);
500° heat resistance test



SAFETY FEATURE: Large push-button switch features a blue taillight LED that ensures you can be seen even from behind.

Attaches securely to your hard hat in seconds! Just clip it into the slot.



VANTAGE® 180 X USB

The most versatile rechargeable firefighter's light. It's a helmet mounted light, right angle light and a hand-held flashlight.

Easily attaches above or below the brim of most helmets providing a bright main white LED and blue safety taillight. Quickly detaches for hand-held and clip-on right angle light with white taillight and downcast light to see what's at your feet. IPX7-rated; waterproof.

BATTERY: SL-B26 batter pack or (2) CR123A lithium batteries
SIZE: 13.2 cm
WEIGHT: 167g w/SL-B26 // 156g w/CR123A
COLOR: Orange


ITEM #	DESCRIPTION
88911	Vantage 180 X USB - Includes SL-B26 USB battery and helmet bracket - Box - Orange

	HIGH	LOW
LUMENS:	250	100
CANDELA:	7,200	2,650
DISTANCE:	170m	103m
RUN TIME:	5h	15h

NFPA
Charging rack meets requirements of
NFPA 1900-11.11.2 (2024)
mounted in any position

MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A batteries






**THE DUALIE® FAMILY OF LIGHTS
DIV. 1, INTRINSICALLY SAFE,
DUAL BEAMS,
HANDS-FREE & INCREDIBLY VERSATILE**



The Dualie design allows you to see what's ahead of you and right in front of your feet. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls.



The Dualie 3AA Laser features a simultaneous spot beam and laser pointer. Illuminates the work area and pinpoints out-of-reach objects.

DUALIE® 3AA ATEX

See what's ahead of you and right in front of your feet with the Dualie 3AA flashlight ATEX-rated for Zone 0 locations. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls.

- BATTERY:** (3) "AAA" alkaline (included) or lithium batteries
- SIZE:** 17.78 cm
- WEIGHT:** 193g
- COLOR:** Orange

	SPOT	FLOOD	COMBO
LUMENS:	140	140	245
CANDELA:	7,300	80	-
DISTANCE:	171m	8m	-
RUN TIME:	18h	18h	9h



ITEM #	DESCRIPTION
68755	Dualie 3AA (ATEX/IECEx) - Includes (3) "AA" alkaline batteries - Clam

DUALIE® 3AA LASER ATEX

Intrinsically safe flashlight featuring a red laser pointer. With a focused spot beam, you can see what's ahead of you and illuminate your work area while using the laser to identify and pinpoint objects at a distance.

- BATTERY:** (3) "AA" alkaline or lithium
- SIZE:** 17.78 cm
- WEIGHT:** 193g
- COLOR:** Orange

	LED	LASER
LUMENS:	150	<5MW OUTPUT
CANDELA:	7,700	--
DISTANCE:	175m	--
RUN TIME:	17h	70h



ITEM #	DESCRIPTION
68765	Dualie 3AA Laser ATEX - Includes (3) "AA" alkaline batteries - Clam

Simultaneous spot beam and laser pointer illuminate your work area and pinpoint out-of-reach objects.

STREAMLIGHT DUALIE SERIES

DUALIE® 2AA ATEX

	SPOT	FLOOD	COMBO
LUMENS:	115	115	175
CANDELA:	3,100	75	-
DISTANCE:	111m	17m	-
RUN TIME:	24h	24h	15h



II 1G Ex ia op is IIC T3/T4 Ga
FTZU 16ATEX 0120X



Ex ia op is IIC T3/T4 Ga
IECEx FTZU 16.0022X

This compact, Dualie 2AA flashlight features two beams that can be used simultaneously or individually as needed: a front-facing spot beam and a downward cast flood light. This flashlight is safety-rated for Zone 0 environments and even includes a magnet on the tail end for hands-free use.

BATTERY: (2) "AA" alkaline
SIZE: 15.5 cm
WEIGHT: 111g
COLOR: Orange

ITEM #	DESCRIPTION
67754	Dualie 2AA ATEX - Includes (2) "AA" alkaline batteries - Box

DUALIE® 2AA

	SPOT	FLOOD	COMBO
LUMENS:	115	115	175
CANDELA:	3,100	75	-
DISTANCE:	111m	17m	-
RUN TIME:	24h	24h	15h



Class I, II, Div. 1,
Grps. A, B, C, D, E, F, G;
Class III, T-Code: T4



This compact, Dualie 2AA flashlight features two beams that can be used simultaneously or individually as needed: a front-facing spot beam and a downward cast flood light. This flashlight is safety-rated for Class 1, Div. 1 environments and even includes a magnet on the tail end for hands-free use.

BATTERY: (2) "AA" alkaline
SIZE: 15.5 cm
WEIGHT: 111g
COLOR: Yellow

ITEM #	DESCRIPTION
67751	Dualie 2AA - Includes (2) "AA" alkaline batteries - Box

DUALIE® RECHARGEABLE

	SPOT	FLOOD	COMBO
LUMENS:	180	105	275
CANDELA:	11,500	60	-
DISTANCE:	171m	18m	-
RUN TIME:	7.25h	13.5h	5.5h

See what's ahead of you and right in front of your feet with the Dualie Rechargeable. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls. A magnetic clip also features a hang hook for hands-free use. Save on battery costs - it's rechargeable! Intrinsically Safe - Class I & II, Div. 1.

BATTERY: Lithium-ion
SIZE: 19.05 cm
WEIGHT: 201g
COLOR: Yellow



Class I, II, Div. 1,
Grps. A, B, C, D, E, F, G
Class III, T-Code: T4



Compact charge base

Features a forward facing spot beam and a downward flood light - use individually or at the same time.

Magnetic clip with integrated hang hook for hands-free use.



ITEM #	DESCRIPTION
68797	Dualie Rechargeable Magnet - 230V AC - C1D1

TRUE COLOR RECOGNITION IN THE PALM OF YOUR HAND

DUALIE® 3AA COLOR-RITE®



DUAL BEAM DESIGN:

The Dualie design produces either a spot beam with a cool white LED or a flood beam that uses a CRI LED for true color recognition.



DUALIE® 3AA COLOR-RITE® // DUALIE® 3AA COLOR-RITE® ATEX

The Dualie 3AA Color-Rite is an intrinsically safe, high performance, 3 AA battery powered flashlight that produces a bright, white light to see ahead of you. The flood beam uses a high output, warm white (4,000K) 90 CRI LED for true color recognition. It has opposing switches for easy user activation of desired function.

Body features a superior grip texture to provide a comfortable but slip resistant feel and is constructed of an engineered polymer resin that is virtually indestructible, shock resistant, non-conductive and light weight. The integrated, non-protruding spring loaded belt clip is contained within the body outline. So much power and technology in one place!

	SPOT	FLOOD	COMBO
LUMENS:	225	175	320
CANDELA:	8,000	380	7,000
DISTANCE:	179m	39m	167m
RUN TIME:	8h	8.5h	5h

FLOOD/WARM WHITE COLOR TEMPERATURE: 4,000K

Dualie 3AA Color-Rite C1D1



Class I, II, Div. I,
Grps. A, B, C, D, E, F, G
Class III, T-Code: T4

Dualie 3AA Color-Rite ATEX



II 1G Ex ia op is IIC T3/T4 Ga
FTZU 15ATEX 0221X



Ex ia op is IIC T3/T4 Ga
IECEx FTZU 16.0017X



**Color-
Rite®**



BATTERY: (3) "AA" alkaline or lithium
SIZE: 17.78 cm
WEIGHT: 187g
COLOR: Orange or Yellow

ITEM #	DESCRIPTION
68915	Dualie 3AA Color-Rite ATEX - Includes (3) "AA" alkaline batteries
68910	Dualie 3AA Color-Rite - Includes (3) "AA" alkaline batteries





2AAA PROPOLYMER® HAZ-LO® ATEX

LUMENS:	60
CANDELA:	800
DISTANCE:	57m
RUN TIME:	16h



The 2AAA ProPolymer HAZ-LO is the perfect choice when you don't need a large light, but don't want to compromise on brightness or run time. It is light and small and fits in your pocket or, if you have the optional rubber helmet strap accessory, wear on your hardhat for hands-free use. Bring this light with you when you need to go check a meter, the serial number on a furnace or the part number from a fitting.

- BATTERY:** (2) "AAA" alkaline
- SIZE:** 13.7 cm
- WEIGHT:** 54g
- COLOR:** Orange



ITEM #	DESCRIPTION
66507	2AAA ProPolymer HAZ-LO ATEX- Includes alkaline batteries - Box

4AA PROPOLYMER® LED

LUMENS:	67
RUN TIME:	155h



Class I, Div. 1, Grps. C, D;
Class I, Div. 2, Grps. A, B, C, D;
Class II, Div. 2, Grps. F, G;
Class III, T-Code: T3C



Class I, Div. 2, Grps. A, B, C, D;
Class II, Div. 2, Grps. F, G;
Class III, T-Code: T3C



Permissible Flashlight
App. No. 10C-658-D
Tested for use in methane-air mixtures only

Features seven ultra-bright LEDs that produce soft, diffused light making it perfect for up close work. IP65-rated; waterproof, dust-resistant. Unbreakable, scratch-resistant lens.

- BATTERY:** (4) "AA" alkaline
- SIZE:** 16.51 cm
- WEIGHT:** 178.6g
- COLOR:** Yellow or Black

ITEM #	DESCRIPTION
68200	4AA LED - Alkaline batteries not included - Box - Yellow
68300	4AA LED - Alkaline batteries not includes - Box - Black

2AA PROPOLYMER® HAZ-LO®

LUMENS: 65
CANDELA: 2,300
DISTANCE: 96m
RUN TIME: 24h



Class I, II, Div. 1, Grps. A, B, C, D, E, F, G;
Class III; T-Class: T4



Permissible Flashlight.
Approval No. 20-A140002-D.
Tested for Intrinsic Safety in
Methane-Air mixtures only.

This virtually indestructible safety-rated flashlight is long on run time and small enough to fit in a pocket or strap onto a helmet. Provides a focused beam with optimum peripheral illumination. O-ring sealed construction. IPX7-rated; waterproof to 1m for 30 minutes.

BATTERY: (2) "AA" alkaline
SIZE: 16.26 cm
WEIGHT: 100g
COLOR: Yellow

ITEM #	DESCRIPTION
67101	2AA ProPolymer HAZ-LO - Includes (2) "AA" alkaline batteries - Clam

2AA PROPOLYMER® HAZ-LO® ATEX

LUMENS: 65
CANDELA: 2,300
DISTANCE: 96m
RUN TIME: 24h



II 1G Ex ia IIC T3/T4 Ga
BASEEFA 14ATEX0072



Ex ia IIC T3/T4 Ga
IECEx BAS 14.0034

A great choice for operations crews who need a general purpose light. It's compact enough to fit in your pocket has a durable, super-tough nylon housing that beats out most entry-level flashlights. IPX7-rated; waterproof to 1m for 30 minutes. Dust and water protected. 1m impact-resistance tested.

BATTERY: (2) "AA" alkaline
SIZE: 16.26 cm
WEIGHT: 100g
COLOR: Orange

ITEM #	DESCRIPTION
67555	2AA ProPolymer HAZ-LO ATEX - with alkaline batteries - Clam

DUALIE/PROPOLYMER ACCESSORIES

DESCRIPTION	PART #	GOES WITH
Safety Wand - Red Safety Wand - Yellow	74903 74904	2AA ProPolymer HAZ-LO
DC1 Charge Cord	22080	Dualie Rechargeable



LIGHT ONLY

COMPACT & FULL FRAME PISTOLS UNIVERSAL RAIL MOUNT MODELS



TLR-1 HL®



TLR-1® // TLR-1s®



TLR-3®



TLR-7®X



TLR-7®X
Contour Remote



TLR-9®

SUB-COMPACT & COMPACT PISTOLS TRIGGER GUARD & RAIL MOUNT MODELS



TLR-3®



TLR-6®
NON-LASER



TLR-7®X



TLR-7® SUB

LONG GUN/AR SHOTGUN FOREND & RAIL MOUNT MODELS



TL-RACKER®



TLR® RM 1



TLR® RM 2



PROTAC®
RAIL MOUNT 1



PROTAC®
RAIL MOUNT 2



PROTAC®
RAIL MOUNT HL-X



PROTAC® 2.0
RAIL MOUNT



PROTAC®
RAIL MOUNT HL-X PRO



TLR-1 HL®
(Long Gun Kit)

LIGHT/LASER COMBO

COMPACT & FULL FRAME PISTOLS UNIVERSAL RAIL MOUNT MODELS



TLR-2® // TLR-2®s



TLR-2 HL®



TLR-2® G // TLR-2 HL® G



TLR-8® A



TLR-8® AG



TLR-10®

SUB-COMPACT & COMPACT PISTOLS TRIGGER GUARD & RAIL MOUNT MODELS



TLR-6®



TLR-6 HL®



TLR-6®
RAIL MOUNT



TLR-6®
1911



TLR-8® A // TLR-8 A® G

LONG GUN/AR RAIL MOUNT MODELS



TLR-2® // TLR-2®s



TLR-2 HL®



TLR-2 HL® G



TLR® RM 1 LASER



TLR® RM 2 LASER



PROTAC® RAIL MOUNT
HL-X LASER



It can be difficult to choose the right weapon-mounted light for your specific gun and application. We want to make the process easier. That's why we designed the TLR Fit Guide to make it easy for you to select the right light for your weapon.

SCAN OR CLICK THE QR CODE TO VIEW OUR TLR FIT GUIDE

**STREAMLIGHT
TLR SERIES**

TLR-1 HL®
WHITE LIGHT ILLUMINATOR



This versatile tactical light fits handguns and long-guns, and you can switch from one to the other in seconds. Its wide peripheral beam lets you see what's all around you, including what's lurking in corners. Includes a strobe for signaling/disorienting. Unbreakable, scratch-resistant, gasket-sealed lens. Impact resistant. Easy, fast battery installation/replacement. IPX7-rated; waterproof to 1 meter for 30 minutes.

BATTERY: (2) CR123A lithium
SIZE: 8.61 x 3.73 x 3.65 cm
WEIGHT: 122.47g
COLORS: Black

LUMENS:	1,000
CANDELA:	20,000
DISTANCE:	283m
RUN TIME:	1.5h

ITEM #	DESCRIPTION
69260	TLR-1 HL - Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, SIG P320 and Beretta® 90TWO – lithium batteries
69262	TLR-1 HL - Long Gun Kit - Includes safe off remote door switch, remote pressure switch, mounting clips, standard door switch – lithium batteries – Box



[(STROBE)]
Double tap
switch to activate



TLR-1 HL Long Gun Kit

TLR-1® // TLR-1s®
WHITE LIGHT ILLUMINATOR

Intensely bright, durable, tactical light available in standard or strobe. Securely fits a broad range of weapons. Produces a concentrated beam with optimum peripheral illumination. Mounts directly to handguns with GLOCK® style rails and to all MIL-STD-1913 (Picatinny) rails. IPX7-rated; waterproof to 1 meter for 30 minutes. Impact resistant. Strobe mode (TLR-1s only) can be disabled.

BATTERY: (2) CR123A lithium
SIZE: 8.61 x 3.73 x 3.65 cm
WEIGHT: 118.6g
COLOR: Black

LUMENS:	300
CANDELA:	12,000
DISTANCE:	219m
RUN TIME:	2.5h

ITEM #	DESCRIPTION
69110	TLR-1 – Includes Rail Locating Keys for use with GLOCK® style, 1913 Picatinny, S&W 99/TSW, SIG P320 and Beretta® 90TWO and lithium batteries
69210	TLR-1s – Includes Rail Locating Keys for use with GLOCK® style, 1913 Picatinny, S&W 99/TSW, SIG P320 and Beretta® 90TWO and lithium batteries



[(STROBE)]
Double tap
switch to activate

TLR-2 HL[®]
 WHITE LIGHT ILLUMINATOR / RED LASER **HL[®]**

This versatile tactical light fits handguns and long-guns, and you can switch from one to the other in seconds. Its wide peripheral beam lets you see what's all around you, including what's lurking in corners. Includes a strobe for signaling/disorienting. Unbreakable, scratch-resistant, gasket-sealed lens. Impact resistant. Easy, fast battery installation/replacement. IPX4-rated; water-resistant and features a 640-660nm red laser.

BATTERY: (2) CR123A lithium
SIZE: 8.61 x 3.73 x 4.64 cm
WEIGHT: 138.5g
COLOR: Black

LUMENS:	1,000
CANDELA:	20,000
DISTANCE:	283m
RUN TIME:	1.5h
LASER MODE: RUNS 45 HOURS	



[(STROBE)]
 Double tap
 switch to activate

ITEM #	DESCRIPTION
69261	TLR-2 HL - Includes Rail Locating Keys for use with GLOCK [®] style, 1913 Picatinny, S&W 99 TSW, SIG P320 and Beretta [®] 90TWO and lithium batteries

TLR-2 HL[®] G
 WHITE LIGHT ILLUMINATOR / GREEN LASER **HL[®]**

Features a highly visible (even in daylight) green laser that assists in target acquisition. Its wide peripheral beam lets you see what's all around you, including what's lurking in corners. Includes a strobe for signaling/disorienting. Unbreakable, scratch-resistant, gasket-sealed lens. Impact resistant. Easy, fast battery installation/replacement. IPX4-rated; water-resistant and features a 510-530nm green laser.

BATTERY: (2) CR123A lithium
SIZE: 8.61 x 3.73 x 4.64 cm
WEIGHT: 138.35g
COLOR: Black

LUMENS:	1,000
CANDELA:	20,000
DISTANCE:	283m
RUN TIME:	1.5h
LASER MODE: RUNS 17 HOURS	



[(STROBE)]
 Double tap
 switch to activate

ITEM #	DESCRIPTION
69265	TLR-2 HL G - Includes Rail Locating Keys for use with GLOCK [®] style, 1913 Picatinny, S&W 99 TSW, SIG P320 and Beretta [®] 90TWO and lithium batteries



TLR-2®
WHITE LIGHT ILLUMINATOR / RED LASER

Intensely bright, durable, tactical light securely fits a broad range of weapons. Produces a concentrated beam with optimum peripheral illumination. Features an integrated 650-660nm red laser. Mounts directly to handguns with GLOCK® style rails and to all MIL-STD-1913 (Picatinny) rails. IPX4-rated; water-resistant. Impact resistant.

BATTERY: (2) CR123A lithium
SIZE: 8.61 x 3.73 x 4.64 cm
WEIGHT: 133.8g
COLOR: Black

LUMENS:	300
CANDELA:	12,000
DISTANCE:	219m
RUN TIME:	2.5h
LASER MODE: RUNS 48 HOURS	



[(STROBE)]
Double tap
switch to activate

ITEM #	DESCRIPTION
69120	TLR-2 – Red Laser – Includes Rail Locating Keys for use with GLOCK® style, 1913 Picatinny, S&W 99/TSW, SIG P320 and Beretta® 90TWO and lithium batteries

TLR-2® G
WHITE LIGHT ILLUMINATOR / GREEN LASER

Features a highly visible (even in daylight) 510-530nm green laser that assists in target acquisition. Mounts directly to handguns with GLOCK® style rails and to all MIL-STD-1913 (Picatinny) rails. IPX4-rated; water-resistant. Strobe can be disabled.

BATTERY: (2) CR123A lithium
SIZE: 8.61 x 3.73 x 4.64 cm
WEIGHT: 133.8g
COLOR: Black

LUMENS:	300
CANDELA:	12,000
RUN TIME:	2.5h
LASER MODE: RUNS 17 HOURS	



[(STROBE)]
Double tap
switch to activate

ITEM #	DESCRIPTION
69250	TLR-2 G - Includes Rail Locating Keys for use with GLOCK® style, 1913 Picatinny, S&W 99/TSW, SIG P320 and Beretta® 90TWO and lithium batteries

TLR-3®
WHITE LIGHT ILLUMINATOR

Lightweight and powerful, this super-bright light is designed for sub-compact and compact weapons, yet it fits the broadest array of handguns – up to full size. Operates in extreme temperatures. Impact-resistant polymer construction with durable anodized aluminum facecap. IPX7-rated; waterproof to 1 meter for 30 minutes.

BATTERY: (1) CR2 lithium
SIZE: 6.88 x 3.00 x 3.84 cm
WEIGHT: 65.77g
COLOR: Black

LUMENS:	170
CANDELA:	3,300
DISTANCE:	115m
RUN TIME:	1.5h



ITEM #	DESCRIPTION
69220	TLR-3 - Includes Rail Locating Keys and CR2 lithium battery - Box

TLR-6® FOR SUBCOMPACT HANDGUNS

An industry first, the ultra-compact TLR-6® weapon light with white LED and integrated 640/660 nm red aiming laser features tool-less battery replacement without removal from the weapon or the need to re-sight the laser. The light provides 1 hour of regulated runtime when in dual light/laser mode. Three operating modes — Light only / Light & laser / Laser only. Designed to securely attach to the trigger guard on hand guns. Durable, impact-resistant polymer construction; IPX4-rated; water-resistant. 1 meter impact resistance tested.

BATTERY: (2) CR-1/3 N lithium
SIZE: 5.84 x 2.16 x 3.61 cm
Size & Weight vary by model
WEIGHT: 36g
COLOR: Black

LUMENS:	100
CANDELA:	2,000
DISTANCE:	89m
RUN TIME:	1h
LASER MODE: 11 HOURS OF RUN TIME	

Universal Kit #69277



Universal Kit includes one LED/laser Aiming module and the following shells: GLOCK 42, GLOCK 26, M&P Shield, KAHR ARMS, SIG SAUER, KIMBER Micro. (Flat Dark Earth, Rail Mount, 1911 & Non Laser models not included.)

ITEM #	DESCRIPTION
69270	TLR-6 (GLOCK® 42/43) White LED and Red Laser – Includes (2) CR 1/3N lithium batteries
69272	TLR-6 (GLOCK® 26/27/33) White LED and Red Laser – Includes (2) CR 1/3N lithium batteries
69284	TLR-6 (SIG SAUER® P365) White LED and Red Laser – Includes (2) CR 1/3N lithium batteries
69286	TLR-6 (GLOCK® 43X/48 MOS) White LED and Red Laser – Includes (2) CR 1/3N lithium batteries
69287	TLR-6 (SA Hellcat®) White LED and Red Laser – Includes (2) CR 1/3N lithium batteries
NON-LASER MODELS	
69280	TLR-6 (GLOCK® 42/43) Without Laser – White LED – Includes (2) CR 1/3N lithium batteries
69282	TLR-6 (GLOCK® 26/27/33) Without Laser – White LED – Includes (2) CR 1/3N lithium batteries

All Rights Reserved. M&P Shield™, GLOCK®, SIG SAUER®, Springfield Armory®, KIMBER®, Colt®, Ruger®, & KAHR® are registered trademarks of Smith & Wesson, GLOCK, Inc., SIG SAUER, Springfield Inc., Colt, Ruger, KIMBER, IP LLC & Saeilo Enterprises, Inc. Streamlight has not sought endorsement of this product from Smith & Wesson®, GLOCK®, Springfield Inc., SIG SAUER®, KIMBER®, KAHR® Arms or Saeilo Enterprises, Inc.

Red Laser #69270
Glock® 42/43



Red Laser #69272
Glock® 26/27/33



Red Laser #69284
SIG SAUER® P365/XL



Red Laser #69286
Glock® 43X/48MOS
Glock®43X/48Rail



Red Laser #69287
SA Hellcat®



Non Laser #69280
GLOCK® 42/43



Non Laser #69282
GLOCK® 26/27/33





TLR-6 HL[®]

RECHARGEABLE LIGHTS FOR COMPACT, SUB-COMPACT & CONCEALED CARRY WEAPONS

TLR-6 HL[®] // TLR-6 HL[®] G RAIL MOUNT // **NEW**

With a rechargeable battery system powering 300 lumens of bright light and a red or green laser, identifying the target has never been easier. Includes three easy-to-swap batteries to triple your runtime for a full hour of power. A portable charging case conveniently stores and charges your batteries without the need to tether your gun. Save on cost over disposable batteries and save the waste stream. Durable, Impact-resistant polymer construction. Designed to securely attach to the rail and the trigger guard of GLOCK[®] compact railed handguns, standard and compact railed handguns.

BATTERY: (1) SL-B2 rechargeable battery
SIZE: 6.35 x 2.16 x 3.96 cm
Size & Weight vary by model
WEIGHT: 32g
COLOR: Black

LUMENS:	300
CANDELA:	4,250
DISTANCE:	130m
RUN TIME:	20min
RED LASER: RUNS 9 HOURS	
GREEN LASER: RUNS 5 HOURS	



Red Laser #69343
GLOCK[®] 17/19/21



Green Laser #69353
GLOCK[®] 17/19/21

ITEM #	DESCRIPTION
69343	TLR-6 HL (GLOCK [®] Rail Mount) White LED/red laser - Includes (3) SL-B2 batteries and charger
69353	TLR-6 HL G (GLOCK [®] Rail Mount) White LED/green laser - Includes (3) SL-B2 batteries and charger

TLR-6 HL[®] FOR SUBCOMPACT HANDGUNS **NEW**

With a rechargeable battery system powering 300 lumens of bright light and a red or green laser, identifying the target has never been easier. Includes three easy-to-swap batteries to triple your runtime for a full hour of power. A portable charging case conveniently stores and charges your batteries without the need to tether your gun. Save on cost over disposable batteries and save the waste stream. Durable, impact-resistant polymer construction. Designed to securely attach to the trigger guard/rail of select handguns.

BATTERY: (1) SL-B2 rechargeable battery
SIZE: 6.35 x 2.16 x 3.69 cm
Size & Weight vary by model
WEIGHT: 31.8g
COLOR: Black or Flat Dark Earth

LUMENS:	300
CANDELA:	4,250
DISTANCE:	130m
RUN TIME:	20min
RED LASER: RUNS 9 HOURS	
GREEN LASER: RUNS 5 HOURS	

SL-B2[™] charging case
 Charges batteries using USB-C cord
 Features charge status indicator



Red Laser #69340
 GLOCK[®] 42/43



Red Laser #69341
 GLOCK[®] 42/43



Red Laser #69342
 M&P[®] Shield[™] 40/9



Red Laser #69344
 SIG SAUER[®] P365/XL



Green Laser #69350
 GLOCK[®] 42/43



Green Laser #69351
 GLOCK[®] 42/43



Green Laser #69352
 M&P[®] Shield[™] 40/9



Green Laser #69354
 SIG SAUER[®] P365/XL



ITEM #	DESCRIPTION
TLR-6 HL	
69340	TLR-6 HL (GLOCK [®] 42/43) White LED and Red Laser – Includes (3) SL-B2 batteries and charger – Black
69341	TLR-6 HL (GLOCK [®] 42/43) White LED and Red Laser – Includes (3) SL-B2 batteries and charger – Flat Dark Earth
69342	TLR-6 HL (M&P [®] Shield [™] 40/9) White LED and Red Laser – Includes (3) SL-B2 batteries and charger – Black
69344	TLR-6 HL (SIG SAUER [®] P365/XL) White LED and Red Laser – Includes (3) SL-B2 batteries and charger – Black
TLR-6 HL G	
69350	TLR-6 HL G (GLOCK [®] 42/43) White LED and Green Laser – Includes (3) SL-B2 batteries and charger – Black
69351	TLR-6 HL G (GLOCK [®] 42/43) White LED and Green Laser – Includes (3) SL-B2 batteries and charger – Flat Dark Earth
69352	TLR-6 HL G (M&P [®] Shield [™] 40/9) White LED and Green Laser – Includes (3) SL-B2 batteries and charger – Black
69354	TLR-6 HL G (SIG SAUER [®] P365/XL) White LED and Green Laser – Includes (3) SL-B2 batteries and charger – Black

All Rights Reserved. M&P Shield[™], GLOCK[®], SIG SAUER[®] are registered trademarks of Smith & Wesson, GLOCK, Inc., SIG SAUER, & Saelo Enterprises, Inc. Streamlight has not sought endorsement of this product from Smith & Wesson[®], GLOCK[®]

TLR-7[®] X NOW RECHARGEABLE!



TLR-7[®] X USB // TLR-7[®] X RAIL MOUNTED LIGHT WHITE LIGHT ILLUMINATOR / TWO SWITCH POSITION OPTIONS

NEW

The TLR series is going rechargeable! The TLR-7 X multi-fuel rail-mounted light accepts either our new SL-B9™ USB rechargeable protected lithium-ion battery pack or a CR123A lithium battery. Interchangeable rear paddle switches accommodate your shooting style. IPX7-rated; waterproof to 1m for 30 minutes.

LUMENS:	500
CANDELA:	5,000
DISTANCE:	140m
RUN TIME (SL-B9):	1h
RUN TIME (CR123A):	1.5h

BATTERY: (1) SL-B9 lithium-ion rechargeable battery or (1) CR123A lithium battery
SIZE: 6.55 x 3.23 x 3.23 cm
WEIGHT: 74.8g w/SL-B9 // 70.3g w/CR123A
COLOR: Black or Flat Dark Earth (FDE)

MULTI-FUEL DESIGN:
 Runs on SL-B9 battery or CR123A lithium battery

[(STROBE)]
 Double tap switch to activate



High Switch

Low Switch



Safe Off feature prevents accidental activation; saves batteries



Interchangeable paddle switches easy to swap out with multi-tool (included)

ITEM #	DESCRIPTION
69424	TLR-7 X – Includes high switch mounted on light plus low switch in package, lithium battery, and key kit - Black
69424	TLR-7 X USB - Includes key kit, high/low paddle switches, SL-B9 rechargeable battery pack, and USB-C cord - Black
69424	TLR-7 X USB - Includes key kit, high/low paddle switches, SL-B9 rechargeable battery pack, and USB-C cord - FDE
69177	TLR-7/TLR-8/TLR-9/TLR-10 Key Kit

TLR-7[®] X CONTOUR REMOTE RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR / HIGH SWITCH POSITION

NEW

The TLR-7 X Contour Remote is designed for one-handed shooting - ideal for dog handlers, SWAT teams, door breaching and close quarter operations. IPX7-rated; waterproof to 1m for 30 minutes.

BATTERY: (1) CR123A lithium
SIZE: 2.95 x 4.55 x 11.68 cm
WEIGHT: 76.3g
COLOR: Black

LUMENS:	500
CANDELA:	5,000
DISTANCE:	140m
RUN TIME(SL-B9):	1h
RUN TIME(CR123A):	1.5h



Safe Off feature prevents accidental activation; saves batteries

ITEM #	DESCRIPTION
69428	TLR-7 X Contour Remote - for GLOCK [®] GEN 4 or GEN 5 models - CR123A lithium battery



Securely fits GLOCK[®] Gen 4 or Gen 5 models with rails or Sig Sauer[®] P320[®] XCARRY frame. Designed to fit snugly around the trigger guard.

Note: Cannot be retrofitted with existing TLR-7 X products



ULTRA LOW PROFILE RAIL MOUNT LIGHTS

DURABILITY, POWER & LONG RUN TIME

TLR-7[®] SUB RAIL MOUNTED LIGHT WHITE LIGHT ILLUMINATOR

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-7 sub to your shooting style. Designed to enhance visibility and targeting capability in home defense and tactical situations, the ultra-compact and lightweight TLR-7 sub fits on select railed subcompact pistols. IPX7-rated; waterproof to 1m for 30 minutes.

- BATTERY:** (1) CR123A lithium
- SIZE:** 12.95 x 1.24 x 2.51 cm
- WEIGHT:** 67.8g
- COLOR:** Black

[(STROBE)]
Double tap
switch to activate



Safe Off feature prevents accidental activation; saves batteries



Interchangeable paddle switches easy to swap out with multi-tool (included)

LUMENS:	500
CANDELA:	5,000
DISTANCE:	141m
RUN TIME:	1.5h



ITEM #	DESCRIPTION
69400	TLR-7 sub (for GLOCK [®] 43X/48 MOS 43X/48 Rail Models Only) - Includes mounting kit with key and CR123A lithium battery
69401	TLR-7 sub (for SIG SAUER [®] P365/XL Closed Rail Systems) - Includes mounting kit with key and CR123A lithium battery
69402	TLR-7 sub (for 1913 short models) - Includes mounting kit with keys and CR123A lithium battery

TLR-8[®]A RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR / **RED LASER** / TWO SWITCH POSITION OPTIONS

The TLR-8A features an integrated 640-660nm red laser and customized ergonomic switches featuring a low or high position to match your shooting style. It features an ambidextrous on/off switch and a rail clamp that is designed to rapidly attach/detach from the side of compact and full frame weapons. IPX4-rated; water-resistant.

BATTERY: (1) CR123A lithium
SIZE: 6.55 x 2.98 x 3.81 cm
WEIGHT: 75g
COLOR: Black

LUMENS:	500
CANDELA:	5,000
DISTANCE:	140m
RUN TIME:	1.5h

[(STROBE)]
 Double tap
 switch to activate



Safe Off feature prevents
 accidental activation;
 saves batteries



High
 Switch



Low
 Switch



Both
 Switches

ITEM #	DESCRIPTION
69414	TLR-8A – Includes rail locating keys, high/low paddle switches and (1) CR123A lithium battery
69177	TLR-7/TLR-8/TLR-9/TLR-10 Key Kit



Interchangeable paddle switches easy to swap
 out with multi-tool (included)

TLR-8[®]A G RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR / **GREEN LASER** / TWO SWITCH POSITION OPTIONS

The TLR-8A G with an integrated 510-520nm green laser includes customized ergonomic switches featuring a low or high option to match your shooting style. It features an ambidextrous on/off switch and a rail clamp that is designed to rapidly attach/detach from side of compact and full frame weapons. IPX4-rated; water-resistant.

BATTERY: (1) CR123A lithium
SIZE: 6.55 x 3.81 x 2.98 cm
WEIGHT: 75g
COLOR: Black

LUMENS:	500
CANDELA:	5,000
DISTANCE:	140m
RUN TIME:	1.5h
LASER MODE:	RUNS 11 HOURS

[(STROBE)]
 Double tap
 switch to activate



Safe Off feature prevents
 accidental activation;
 saves batteries



High
 Switch



Low
 Switch



Both
 Switches

ITEM #	DESCRIPTION
69434	TLR-8A G – Includes rail locating keys, high/low paddle switches and (1) CR123A lithium battery
69177	TLR-7/TLR-8/TLR-9/TLR-10 Key Kit

STREAMLIGHT TLR SERIES

TLR-9[®] RAIL MOUNTED LIGHT WHITE LIGHT ILLUMINATOR

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-9 to your shooting style. Reduce bulkiness on your weapon with its slim design. It features a rail clamp that is designed to rapidly attach/detach from full frame weapons. IPX7-rated; waterproof to 1m for 30 minutes.

BATTERY: (2) CR123A lithium
SIZE: 9.82 x 2.98 x 3.22 cm
WEIGHT: 120.9g
COLOR: Black

LUMENS:	1,000
CANDELA:	10,000
DISTANCE:	200m
RUN TIME:	1.5h
STROBE:	RUNS 3 HOURS



[(STROBE)]
Double tap
switch to activate

Safe Off feature prevents
accidental activation;
saves batteries



High
Switch



Low
Switch



Both
Switches



Interchangeable paddle switches easy to
swap out with multi-tool (included)

ITEM #	DESCRIPTION
69464	TLR-9 – Includes rail locating keys and (2) CR123A lithium batteries with high/low switches
69177	TLR-7/TLR-8/TLR-9/TLR-10 Key Kit

TLR-10[®] G RAIL MOUNTED LIGHT WHITE LIGHT ILLUMINATOR/ RED LASER / TWO SWITCH POSITION OPTIONS

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-10 with an integrated 640-660nm red laser to your shooting style. It features a rail clamp that is designed to rapidly attach/detach from full frame weapons. IPX4-rated; water-resistant.

BATTERY: (2) CR123A lithium
SIZE: 9.82 x 2.98 x 3.81 cm
WEIGHT: 131g
COLOR: Black

LUMENS:	1,000
CANDELA:	10,000
DISTANCE:	200m
RUN TIME:	1.5h
STROBE:	RUNS 60 HOURS



[(STROBE)]
Double tap
switch to activate

Safe Off feature prevents
accidental activation;
saves batteries



High
Switch



Low
Switch



Both
Switches



Interchangeable paddle switches easy to
swap out with multi-tool (included)

ITEM #	DESCRIPTION
69470	TLR-10 G – Includes rail locating keys and (2) CR123A lithium batteries with high/low switches
69177	TLR-7/TLR-8/TLR-9/TLR-10 Key Kit



TL-RACKER®

The compact, lightweight all-in-one integrated shotgun forend light. Replace your weapon's forend with the TL-Racker featuring a bright 1,000 lumen LED light in a sleek design that eliminates the need for remote cords, reducing snag hazards. Its ergonomic design provides maximum grip and easy switch access for momentary and constant on. The elongated switch pad accommodates virtually any hand size. Uses two CR123A lithium batteries. Its customized optic produces a concentrated beam for multiple applications. Ideal for shotgun breaching, close quarter operations or elevating home defense options. IPX7-rated; waterproof to 1 meter for 30 minutes.

BATTERY: (2) CR123A lithium
SIZE: 20.32 x 4.95 x 6.71 cm
WEIGHT: 343g with batteries
COLOR: Black

LUMENS:	1,000
CANDELA:	20,000
DISTANCE:	283m
RUN TIME:	1.5h



Mossberg 590® Shockwave model

Models available for Mossberg 500®/590® and Remington 870™




ITEM #	DESCRIPTION
69600	TL Racker - Mossberg 500/590 - Lithium batteries
69601	TL Racker - Remington 870 - Lithium batteries

STREAMLIGHT LONG GUN LIGHT SERIES

TLR[®] RM 1 COMPACT RAIL MOUNTED TACTICAL LIGHTING SYSTEM

The low-profile TLR RM 1 features an HPL face cap for a longer reaching, tighter beam; provides increased candela while maintaining the lumen output. Independently operating push-button and remote pressure switches provide the security of knowing you'll always have light. IPX7-rated; waterproof to 1 meter for 30 minutes. System is packaged as a kit offering everything you need to mount to your long gun.



BATTERY: (1) CR123A lithium
SIZE: 9.25 x 3.81 x 3 cm
WEIGHT: 85.6g
COLOR: Black

ITEM #	DESCRIPTION
69440	TLR RM 1 - System - Includes remote door switch, remote pressure switch, mounting clips, CR123A lithium battery
69441	TLR RM 1 - Light Only - Includes Key Kit, (1) CR123A lithium battery

LUMENS:	500
CANDELA:	11,000
DISTANCE:	210m
RUN TIME:	1.5h
STROBE: RUNS 3 HOURS	

[(STROBE)]
Double tap
switch to activate




Safe Off feature prevents accidental activation; saves batteries



TLR RM 1 with Remote Pressure Switch: 69440

TLR[®] RM 2 COMPACT RAIL MOUNTED TACTICAL LIGHTING SYSTEM

The low-profile TLR RM 2 features an HPL face cap for a longer reaching, tighter beam; provides increased candela while maintaining the lumen output. Independently operating push-button and remote pressure switches provide the security of knowing you'll always have light. IPX7-rated; waterproof to 1 meter for 30 minutes. System is packaged as a kit offering everything you need to mount to your long gun.



BATTERY: (2) CR123A lithium
SIZE: 12.6 x 3.81 x 3 cm
WEIGHT: 132.7g
COLOR: Black

ITEM #	DESCRIPTION
69450	TLR RM 2 System- Includes remote door switch, remote pressure switch, mounting clips, and (2) CR123A lithium batteries
69451	TLR RM 2 - Light only - Includes key kit and (2) CR123A lithium batteries - Box

LUMENS:	1,000
CANDELA:	22,000
DISTANCE:	297m
RUN TIME:	1h 30min
STROBE: RUNS 3 HOURS	

[(STROBE)]
Double tap
switch to activate



Safe Off feature prevents accidental activation; saves batteries



TLR RM 2 with Remote Pressure Switch: 69450

TLR[®] RM 1 LASER COMPACT RAIL MOUNTED TACTICAL LIGHTING SYSTEM


WHITE LIGHT ILLUMINATOR / RED LASER

The low-profile TLR RM 1 Laser features an HPL face cap for a longerreaching, tighter beam. It's designed to provide increased candela while maintaining the lumen output. Independently operating push-button and remote pressure switches provide the security of knowing you'll always have light. IPX4-rated; water-resistant 1m impact resistance tested. System is packaged as a kit offering everything you need to mount to your long gun.

BATTERY: (1) CR123A lithium
SIZE: 9.25 x 3.81 x 3 cm
WEIGHT: 91.9g
COLOR: Black

LUMENS:	500
CANDELA:	11,000
DISTANCE:	210m
RUN TIME:	1.5h
STROBE:	RUNS 3 HOURS
LASER:	RUNS 60 HOURS

ITEM #	DESCRIPTION
69445	TLR RM 1 Laser - System - Includes remote door switch, remote pressure switch, mounting clips, CR123A lithium battery
69446	TLR RM 1 Laser - Light only - Includes key kit and CR123A lithium battery



Safe Off feature prevents accidental activation; saves batteries

[(STROBE)]
 Double tap switch to activate




TLR RM 1 Laser with Remote Pressure Switch: 69445

TLR[®] RM 2 LASER COMPACT RAIL MOUNTED TACTICAL LIGHTING SYSTEM

WHITE LIGHT ILLUMINATOR / RED LASER

The low-profile TLR RM 2 Laser features an HPL face cap for a longer reaching, tighter beam. It's designed to provide increased candela while maintaining the lumen output. Independently operating push-button and remote pressure switches provide the security of knowing you'll always have light. IPX4-rated; water-resistant 1m impact resistance tested. System is packaged as a kit offering everything you need to mount to your long gun.

BATTERY: (2) CR123A lithium
SIZE: 12.6 x 3.81 x 3 cm
WEIGHT: 144.7g
COLOR: Black



LUMENS:	1,000
CANDELA:	22,000
DISTANCE:	297m
RUN TIME:	1.5h
STROBE:	RUNS 3 HOURS
LASER:	RUNS 60 HOURS

[(STROBE)]
 Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries

ITEM #	DESCRIPTION
69447	TLR RM 2 Laser - System- Includes remote door switch, remote pressure switch, mounting clips and (2) CR123A lithium batteries
69448	TLR RM 2 Laser - Light only - Includes key kit and (2) CR123A lithium batteries



TLR RM 2 Laser with Remote Pressure Switch: 69447

SPEEDLOCKER®

NEW

The SpeedLocker is a portable, locking storage container that provides you with swift and direct access. Mechanical keypad with one-handed entry keeps your personal items secure at home or at work. Rugged, water-resistant construction with convenient carry handle is designed for travel making it an ideal companion wherever you go.

The SpeedLocker accommodates various firearm sizes. It's important to note that the SpeedLocker is not a gun safe; however, it effectively limits unauthorized access while ensuring your essentials remain within easy reach.

The SpeedLocker® is not an approved firearm safe. It is the user responsibility to determine the suitability to the specific situation and need.



Patented mechanical keypad with 31 user selectable combinations - requires no batteries

INTERNAL: 31.5 x 20.8 x 7.1 cm

EXTERNAL: 20.3 x 18 cm

WEIGHT: 1.18kg

COLOR: Black

ITEM #	DESCRIPTION
59000	SpeedLocker - Includes padlock and Allen key
59001	Padlock with 3 keys



Accommodates firearms up to the size of a Glock® 19 with TLR-1 series attached



Air travel suitable with supplied padlock

PORTABLE
SECURE
STORAGE CONTAINER



SPEEDLOCKER®



THE PROTAC RAIL MOUNT

LIGHTS SHATTER THE DARK

WITHOUT BREAKING THE BANK

PROTAC® RAIL MOUNT 1 LONG GUN LIGHT

CR123A	HIGH	LOW
LUMENS:	350	40
CANDELA:	12,000	1,380
DISTANCE:	219m	19m
RUN TIME:	1.75h	14.5h
STROBE RUNS 2.75 HOURS		

ALKALINE	HIGH	LOW
LUMENS:	150	40
CANDELA:	4,950	1,380
DISTANCE:	141m	19m
RUN TIME:	1.5h	8h
STROBE RUNS 2.75 HOURS		

This 350 lumen light features a dedicated fixed-mount for MIL-STD 1913 or M-LOK® rails. It uses either a remote switch with momentary/constant on operation or a standard push-button tail switch. Can run on either a lithium battery or an easy-to-find alkaline battery, both included. IPX7-rated; with the Standard button switch installed; waterproof to 1 meter for 30 minutes. IPX4-rated; with the Remote Pressure Switch installed.

BATTERY: (1) CR123A lithium or (1) "AA" Alkaline
SIZE: 10.8 cm
WEIGHT: 121.9g w/CR123A // 127.57g w/Alkaline
COLOR: Black

ITEM #	DESCRIPTION
88058	ProTac Rail Mount 1 - Includes remote pressure switch, tailcap switch, mounting hardware, M-LOK mount, (1) AA alkaline battery, and (1) CR123A lithium battery

[(STROBE)]
Double tap
switch to activate



MULTI-FUEL DESIGN:
Runs on alkaline or
CR123A lithium battery

TEN-TAP® Programmable switch allows user selection of one of three different programs:

- high/strobe (factory default)
- high only
- low/high

PROTAC® RAIL MOUNT 2 LONG GUN LIGHT

Lightweight, this bright light can be used in close quarter combat or to identify medium range threats. Rugged, reliable and features a fixed-mount for MIL-STD 1913 or M-LOK® compatible rails. It uses either a remote switch with momentary or “constant on” operation or a standard push-button tail switch. IPX7-rated with the standard button switch installed; waterproof to 1 meter for 30 minutes. IPX4-rated with the remote pressure switch installed.

	HIGH	LOW
LUMENS:	625	60
CANDELA:	22,000	2,000
DISTANCE:	297m	89m
RUN TIME:	2h	21h
STROBE RUNS 2.75 HOURS		

BATTERY: (2) CR123A lithium
SIZE: 12.7 cm
WEIGHT: 141.7g
COLOR: Black

ITEM #	DESCRIPTION
88059	ProTac Rail Mount 2 - Includes remote pressure switch, tailcap switch, mounting hardware, M-LOK mount, and (2) CR123A lithium batteries



[(STROBE)]
Double tap
switch to activate

TEN-TAP® Programmable switch allows user selection of one of three different programs:

- high/strobe (factory default)
- high only
- low/high

PROTAC® RAIL MOUNT HL-X LONG GUN LIGHT

The ProTac series expands its weapon-mounted lights with this 1,000 lumen light featuring a fixed-mount for MIL-STD-1913 or M-LOK® compatible rails. Lightweight, this bright light can be used in close quarter combat or to identify medium range threats. Rugged, reliable and features a remote switch with momentary or “constant on” operation or a standard push-button tail switch. IP67-rated with the standard button switch installed; waterproof to 1 meter for 30 minutes. IP54-rated with the remote pressure switch installed.

	HIGH	LOW
LUMENS:	1,000	60
CANDELA:	50,000	3,100
DISTANCE:	447m	111m
RUN TIME (CR123A):	1h 20 min	20h
RUN TIME (SL-B26):	1.5h	23h
STROBE RUNS 2.5 HOURS (CR123A); 3.25 HOURS (SL-B26)		

BATTERY: (2) CR123A lithium or (1) SL-B26 Li-Ion
USB rechargeable battery pack
SIZE: 13.8 cm
WEIGHT: 181.4g w/CR123A // 195.6g w/SL-B26
COLOR: Black

MULTI-FUEL DESIGN:
Runs on CR123A or
SL-B26 battery pack

ITEM #	DESCRIPTION
88066	ProTac Rail Mount HL-X - Includes remote pressure switch, tailcap switch, mounting hardware and M-LOK mount



[(STROBE)]
Double tap
switch to activate

TEN-TAP® Programmable switch allows user selection of one of three different programs:

- high/strobe (factory default)
- high only
- low/high



PROTAC® RAIL MOUNT HL-X LASER

	HIGH	LOW
LUMENS:	1,000	60
CANDELA:	18,200	1,100
DISTANCE:	270m	66m
RUN TIME (CR123A):	1.25h	20h
RUN TIME (SL-B26):	1.5h	23h
STROBE RUNS 2.25 HOURS (CR123A); 3.25 HOURS (SL-B26)		

The ProTac Rail Mount HL-X Laser is a 1,000 lumen long gun light with integrated red aiming laser with windage and elevation adjustments. It has unique functionality with its double switches; push button tailcap or remote pressure switch and multi-fuel options. Available as the USB rechargeable system that includes our Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack with integrated USB charging port or the lithium battery version. Either model includes all that you need to mount to your long gun.

BATTERY: (2) CR123A lithium or (1) SL-B26 Li-Ion USB rechargeable battery pack
SIZE: 16.83 cm
WEIGHT: 306g w/SL-B26
COLOR: Black



MULTI-FUEL DESIGN:
 Runs on CR123A or
 SL-B26 batteries



[(STROBE)]
 Double tap
 switch to activate

ITEM #	DESCRIPTION
88089	ProTac Railmount HL X Laser - Includes remote switch, tail switch, remote retaining clips, mounting hardware, (2) CR123A lithium batteries
88090	ProTac Railmount HL-X Laser USB - Includes remote switch, tail switch, remote retaining clips, mounting hardware, SL-B26 battery pack & USB cord

TEN-TAP® Programmable switch allows user selection of one of three different programs:

- high/strobe (factory default)
- high only
- low/high

STREAMLIGHT TACTICAL WEAPON-MOUNTED PROTAC SERIES

PROTAC® RAIL MOUNT HL-X PRO



The ProTac series expands its weapon-mounted lights with this 50,000 candela light with a 447m beam distance. It features a fixed-mount for MIL-STD 1913 or M-LOK® compatible rails. Lightweight, this bright light can be used in close quarter combat or to identify medium range threats. Rugged, reliable and features a remote switch with momentary/constant on operation or a standard push-button tail switch. IP67-rated with the Standard button switch installed; waterproof to 1 meter for 30 minutes. IPX4-rated with the remote pressure switch installed.

	HIGH	LOW
LUMENS:	1,000	60
CANDELA:	50,000	3,100
DISTANCE:	447m	111m
RUN TIME (CR123A):	1.25h	21h
RUN TIME (SL-B26):	1.75h	24h

STROBE RUNS 2.5 HOURS (CR123A);
3.5 HOURS (SL-B26)



Jack Cap™ tail switch provides momentary and "constant on" operation



MULTI-FUEL DESIGN:
Runs on CR123A or SL-B26 batteries

TEN-TAP® Programmable switch allows user selection of one of three different programs:

- high/strobe (factory default)
- high only
- low/high



[(STROBE)]

Double tap switch to activate

BATTERY: (2) CR123A lithium or (1) SL-B26 USB rechargeable battery pack

SIZE: 13.8 cm

WEIGHT: 204.1g w/SL-B26 // 187.1g w/CR123A

COLOR: Black

ITEM #	DESCRIPTION
88126	ProTac Railmount HL X Pro - Includes Jack-Cap™, M-LOK® Kit, Momentary Switch, Hardware Kit, 2.5 mm Allen Wrench, (2) CR123A Batteries - Box
88127	ProTac Railmount HL-X Pro USB - Includes Jack-Cap™, M-LOK® Kit, Momentary Switch, Hardware Kit, 2.5 mm Allen Wrench, (1) SL-B26 USB Battery, 101.6 cm USB Cord - Box
88128	ProTac Railmount HL-X Pro - Light Only - Includes Jack-Cap™, M-LOK® Kit, 2.5 mm Allen Wrench, (2) CR123A Batteries - Box
88129	ProTac Railmount HL-X Pro USB - Light Only - Includes Jack-Cap™, M-LOK® Kit, 2.5 mm Allen Wrench, (1) SL-B26 USB Battery, 101.6 cm USB Cord - Box



PROTAC® 2.0 RAIL MOUNT

	HIGH	LOW
LUMENS:	2,000	250
CANDELA:	17,700	2,150
DISTANCE:	266m	93m
RUN TIME:	2.5h	11h

STROBE RUNS 4.5 HOURS



The high performance ProTac 2.0 Rail Mount produces 2,000 lumens without sacrificing run time. Powered by our proprietary SL-B50 protected Li-Ion rechargeable battery pack that charges inside the light using a USB-C cord - no need to remove from your weapon.

System includes remote rail grabber, remote pressure momentary switch, push-button tailcap switch and M-LOK® mount and mounting hardware. Tactical tailcap switch provides momentary & "constant on" operation. IP67-rated; dust-tight and waterproof to 1 meter for 30 minutes.

[(STROBE)]
Double tap
switch to activate



TEN-TAP® Programmable switch allows user selection of one of three different programs:

- high/strobe (factory default)
- high only
- low/high



Slide sleeve back to access USB-C port; charges via USB-C cord

ITEM #	DESCRIPTION
89009	ProTac 2.0 Rail Mount - System - Includes straight momentary pressure switch, SL-B50 battery pack, mounting hardware, USB-C cord, M-LOK mount
88003	ProTac 2.0 Rail Mount - Light Only - Includes SL-B50 battery pack, USB-C cord, M-LOK mount

BATTERY: (1) SL-B50 protected Li-Ion USB rechargeable battery pack

SIZE: 16.0 cm

WEIGHT: 257g

COLOR: Black

PROTAC RAIL MOUNT ACCESSORIES

DESCRIPTION	PART #	GOES WITH
CR123A Lithium Batteries 2pk/12pk/400pk	85175 - 2pk 85177 - 12pk 85179 - 400pk	ProTac Rail Mount 1, ProTac Rail Mount 2, ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro
230V AC Charge Cord	22061	ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro
SL-B26 Battery Packs - 1pk/2pk	22101 22102	ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro
SL-B50 Battery Packs - 1pk/2pk	22111 22112	ProTac 2.0 Rail Mount
straight momentary pressure Switch	69135	ProTac 2.0 Rail Mount
STRAIGHT latching Switch	89008	ProTac 2.0 Rail Mount

WEDGE® XT



The Wedge XT is a remarkable, ultra-compact, high-performance EDC light meticulously crafted for effortless pocket carry. Engineered with a tactical push-button switch, its effortless one-handed operation unleashes an impressive 500 lumens for a full 2 hours.

For added convenience and peace of mind, the Wedge XT features the innovative Five-Tap™ Lockout system, which effectively prevents accidental activation inside your pocket or bag. Crafted from rugged anodized aluminum, this flashlight effortlessly balances durability with top-notch performance. Its built-in waterproof USB-C port ensures reliable charging in any weather condition.

Whether you're a seasoned outdoor enthusiast or simply need a reliable companion for everyday tasks, the Wedge XT is designed to exceed your expectations, offering unrivaled portability and reliable functionality in one sleek package.

BATTERY: Lithium-ion
SIZE: 10.8 cm
WEIGHT: 74.3g
COLOR: Black or Coyote

	HIGH	LOW
LUMENS:	500	50
CANDELA:	1,900	200
DISTANCE:	87m	28m
RUN TIME:	2h	11h



TEN-TAP® Programmable - choose from two programs:
• high/low
• low/high

ITEM #	DESCRIPTION
88812	Wedge XT - Includes USB-C Cord, pocket lanyard - Black
88813	Wedge XT - Includes USB-C Cord, pocket lanyard - Coyote



Charge indication LED:

Red – Charging;
Green – Charged

Lithium-ion battery charges in 6 hours

WEDGE®

The Wedge is a compact, high-performance EDC light designed for clean pocket carry. It's outfitted with an intuitive rotating thumb switch that provides tactile control over the constant-on and THRO® (Temporarily Heightened Regulated Output) modes. Made of rugged anodized aluminum with a waterproof USB-C port, the Wedge balances durability with performance.



**1000
LUMENS**

	THRO	CONSTANT ON
LUMENS:	1,000	300
CANDELA:	3,000	1,200
DISTANCE:	110m	69m
RUN TIME:	35sec	3h

BATTERY: Lithium Polymer
SIZE: 13.87 cm
WEIGHT: 93.5g
COLOR: Black or Coyote

ITEM #	DESCRIPTION
88810	Wedge - Includes USB-C cord, lanyard - Box - Black
88811	Wedge - Includes USB-C cord, lanyard - Box - Coyote



Battery charge indicator located in the on/off switch.

Charge indication:
Red – Charging // Green – Charged



Width: 1.52 cm

PROTAC® 2.0

	HIGH	MEDIUM	LOW
LUMENS:	2,000	570	100
CANDELA:	17,300	5,000	890
DISTANCE:	262m	142m	60m
RUN TIME:	2.5h	4.5h	25h
STROBE RUNS 4 HOURS 25 MIN			

The high performance ProTac 2.0 produces 2,000 lumens without sacrificing run time. Powered by a SL-B50® battery pack that charges inside the light using a USB-C cord. IP67-rated; dust-tight and waterproof to 1m for 30 minutes.

BATTERY: (1) SL-B50 protected Li-Ion USB rechargeable battery pack
SIZE: 15.49 cm
WEIGHT: 234g
COLOR: Black



USB-C Cord

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high



[(STROBE)]
 Double tap switch to activate

Slide sleeve back to access USB-C port.

SL-B50 battery pack charges in 6 hours.



ITEM #	DESCRIPTION
89000	ProTac 2.0 - Includes SL-B50 battery pack, USB-C cord, nylon holster

SL-B50® PROTECTED LITHIUM-ION USB RECHARGEABLE BATTERY PACK

The SL-B50® protected Li-Ion rechargeable battery pack is designed for select Streamlight products. It features a built in USB-C port and charge status indicator; charges in 6 hours.

BATTERY CAPACITY: 4900mAh SL-B50 protected Li-Ion USB rechargeable battery pack
BATTERY SIZE: 8.28 x 2.3 cm
BATTERY WEIGHT: 85g



Features integrated USB port.

Charge status LEDs:

Red = charging

Green = charged



CHARGING



CHARGED

USB Rechargeable 4900mAh SL-B50 Lithium-ion Battery — Charges in 6 hours.

ITEM #	DESCRIPTION
22111	SL-B50 Li-Ion USB rechargeable battery pack - 1PK
22112	SL-B50 Li-Ion USB rechargeable battery pack - 2PK

WORKS WITH:



ProTac® 2.0 Headlamp



ProTac® 2.0 Rail Mount



ProTac® 2.0 Handheld

PROTAC® 1L-1AA

Small enough to carry in a pocket plus lightweight, yet extremely bright. Accepts multiple battery sources so you'll always be ready when you need to light up an area. TEN-TAP® Programming for selection of operating modes. IPX7-rated; waterproof to 1m for 30 minutes.

BATTERY: (1) CR123A lithium or "AA" alkaline; also accepts "AA" lithium
SIZE: 10.8 cm
WEIGHT: 71g
COLOR: Black



AA	HIGH	LOW
LUMENS:	150	40
CANDELA:	2,750	720
DISTANCE:	105m	53m
RUN TIME (ALK):	1.25h	7.5h
RUN TIME (LITH):	4.25h	14h
STROBE RUNS 3.5 HOURS (ALK); 8 HOURS (LITH)		

CR123A	HIGH	LOW
LUMENS:	350	40
CANDELA:	6,400	720
DISTANCE:	160m	53m
RUN TIME:	1.5h	14h
STROBE RUNS 3 HOURS		

TEN-TAP® Programmable - choose from three programs:
 • high/strobe/low
 • high only
 • low/high

ITEM #	DESCRIPTION
88061	ProTac 1L-1AA - Includes (1) CR123A lithium, (1) AA alkaline battery and holster - Clam

PROTAC® 2AA

	HIGH	LOW
LUMENS:	250	18
CANDELA:	4,250	400
DISTANCE:	130m	40m
RUN TIME:	2h	43h
STROBE RUNS 4 HOURS		



TEN-TAP® Programmable - choose from three programs:
 • high/strobe/low
 • high only
 • low/high

Using two alkaline batteries, the ProTac 2AA is a versatile personal light the size of a marker that produces 250 lumens of bright light. IPX7-rated; waterproof to 1m for 30 minutes.

BATTERY: (2) "AA" alkaline or lithium
SIZE: 15.6 cm
WEIGHT: 96g
COLOR: Black

ITEM #	DESCRIPTION
88033	ProTac 2AA - Includes (2) "AA" alkaline batteries and holster - Clam

PROTAC® 2AAA

	HIGH	LOW
LUMENS:	130	20
CANDELA:	1,230	230
DISTANCE:	70m	30m
RUN TIME:	1.75h	13h
STROBE RUNS 3.5 HOURS		



TEN-TAP® Programmable - choose from three programs:
 • high/strobe/low
 • high only
 • low/high

The ProTac 2AAA is about the size of a marker, with two AAA batteries, this ProTac fits nicely into your pocket and is big on function and performance.

BATTERY: (2) "AAA" alkaline or lithium
SIZE: 14.27 cm
WEIGHT: 57g
COLOR: Black

ITEM #	DESCRIPTION
88039	ProTac 2AAA - Includes (2) "AAA" alkaline batteries - Clam

PROTAC // POLYTAC ACCESSORIES

ACCESSORY	PART #	GOES WITH
CR123A Lithium Batteries - 2pk CR123A Lithium Batteries - 12pk CR123A Lithium Batteries - 400pk	85175 85177 85179	ProTac 1L-1AA, ProTac HL USB, ProTac 1L-1AA, ProTac 2L-X ProTac HL-X ProTac HL 5-X, PolyTac X
SL-B26 Battery Pack - 2pk	22102	ProTac HL USB, ProTac HL-X USB, ProTac 2L-X USB, ProTac 5-X USB, PolyTac X USB





PROTAC® 90X USB // PROTAC® 90X

	HIGH	MEDIUM	LOW
LUMENS:	1,000	300	65
CANDELA:	7,350	2,060	450
DISTANCE:	171m	91m	42m
RUN TIME (CR123A):	2.5h	4h	21h
RUN TIME (SL-B26):	1.75h	4.75h	24h
STROBE RUNS 2.5 HOURS (CR123A); 3.5 HOURS (SL-B26)			



The MULTI-FUEL ProTac 90X is an EDC light with a twist. It features a right-angle head that gives extra lighting capability for those with multiple lighting needs. Carry in your hand or attach to your MOLLE, belts, harnesses and other gear for hands-free use.

ITEM #	DESCRIPTION
88094	ProTac 90X - Includes CR123A lithium batteries and holster
88095	ProTac 90X USB - Includes SL-B26 battery pack and holster



TEN-TAP® Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high

MULTI-FUEL DESIGN:
Runs on SL-B26 battery packs or CR123A batteries

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium

SIZE: 11.1 cm

WEIGHT: 139g w/SL-B26 // 125g w/CR123A

COLOR: Black

PROTAC® 2L-X USB

	HIGH	LOW
LUMENS:	500	40
CANDELA:	6,800	600
DISTANCE:	165m	49m
RUN TIME (CR123A):	2.75h	30h
RUN TIME (SL-B26):	3.75h	30h
STROBE RUNS 3.25 HOURS (CR123A); 4.5 HOURS (SL-B26)		



MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A batteries

TEN-TAP® Programmable - choose from three programs:

- high/strobe/low
- high only
- low/high

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium

SIZE: 13 cm

WEIGHT: 125g w/SL-B26 // 111g w/CR123A

COLOR: Black

Multi-battery versatility - uses two CR123A batteries or one Streamlight SL-B26 protected Li-ion USB rechargeable battery pack. It features a push-button tail switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience.

ITEM #	DESCRIPTION
88083	ProTac 2L-X USB - Includes SL-B25 battery pack, USB cord and holster

PROTAC® HL-X USB

	HIGH	MEDIUM	LOW
LUMENS:	1,000	400	65
CANDELA:	27,100	10,000	1,600
DISTANCE:	330m	200m	80m
RUN TIME (CR123A):	1.25h	3h	20h
RUN TIME (SL-B26):	1.5h	3.5h	23h
STROBE RUNS 2.5 HOURS (CR123A); 3.25 HOURS (SL-B26)			



MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A batteries

TEN-TAP® Programmable - choose from three programs:

- high/strobe/low
- high only
- low/med/high

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium batteries

SIZE: 13.8 cm

WEIGHT: 176g w/SL-B26 // 162g w/CR123A

COLOR: Black

Multi-battery versatility - uses two CR123A batteries or one Streamlight protected rechargeable lithium-ion battery. It features a push-button tail switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience.

ITEM #	DESCRIPTION
88085	ProTac HL-X USB - Includes SL-B26 battery pack, USB cord and holster

POLYTAC®

The all-purpose PolyTac is designed for the broadest range of lighting applications at the best value. TEN-TAP® Programming provides the choice of three operating modes. Producing a blast of 600 lumens!

TEN-TAP® Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high



	HIGH	MEDIUM	LOW
LUMENS:	600	260	35
CANDELA:	22,000	9,500	1,300
DISTANCE:	297m	195m	72m
RUN TIME:	2.75h	5.5h	34h

STROBE RUNS 5.5 HOURS

BATTERY: (2) CR123A lithium batteries
SIZE: 13.56 cm
WEIGHT: 121g
COLOR: Black

ITEM #	DESCRIPTION
88850	PolyTac - Includes lithium batteries - Clam

POLYTAC 90® X USB

	HIGH	LOW
LUMENS:	500	85
CANDELA:	7,000	1,050
DISTANCE:	167m	64m
RUN TIME:	3.75h	19h



MULTI-FUEL DESIGN:
 Runs on SL-B26 battery pack or CR123A batteries

NFPA Meets requirements of NFPA 1971-8.6 (2018)

Flexible, rugged and super bright, the PolyTac 90 X is built with the rigors of the job in mind. Durable construction plus a switch with built in battery life indicator will let you know when it is time to recharge your battery or replace them giving you the confidence to stay focused on the task at hand.

The PolyTac 90 X USB is a rechargeable system that includes a Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack.

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium batteries
SIZE: 11.25 cm
WEIGHT: 136g w/SL-B26
COLOR: Orange or Black

ITEM #	DESCRIPTION
88838	PolyTac 90 X USB - SL-B26 battery pack - Orange
88835	PolyTac 90 X USB - SL-B26 battery pack - Black

POLYTAC® X USB

Multi-Fuel Design provides you the versatility to use two CR123A batteries or one Streamlight SL-B26 protected Li-Ion USB rechargeable battery pack. Superior grip texture provides a comfortable/slip-resistant feel. IPX7- rated; waterproof to 1m for 30 minutes.



MULTI-FUEL DESIGN:
 Runs on SL-B26 battery pack or CR123A batteries

	HIGH	MEDIUM	LOW
LUMENS:	600	260	35
CANDELA:	11,485	4,930	675
DISTANCE:	205m	135m	50m
RUN TIME (CR123A):	2.75h	5.5h	34h
RUN TIME (SL-B26):	3.5h	5.75h	36h

STROBE RUNS 8 HOURS(SL-B26);
5.5 HOURS (CR123A)

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium
SIZE: 13.87 cm
WEIGHT: 139g w/SL-B26 // 125g w/CR123A
COLOR: Black

ITEM #	DESCRIPTION
88613	PolyTac X USB - Includes (1) SL-B26 battery pack - Box

TEN-TAP® Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high


NFPA
 Meets requirements of NFPA 1971-8.6 (2013)



SL-B26® PROTECTED LITHIUM-ION USB RECHARGEABLE BATTERY PACK

The battery that transforms multi-fuel, high-performance lighting tools into rechargeable systems. USB rechargeable - Features micro-USB input & charge status indicators; charges in 5 hrs. Integrated safety circuit protects battery from overcharge. Charge via USB source, optional charge cradle or bank charger for departmental use.

- BATTERY CAPACITY:** 2600mAh SL-B26 protected Li-Ion USB rechargeable battery pack
- BATTERY SIZE:** 7 x 1.89 cm
- BATTERY WEIGHT:** 48g
- CRADLE SIZE:** 11.4 cm
- CRADLE WEIGHT:** 68g



Features integrated USB port. Charge status LEDs:
Red = charging Green = charged



Charger temperature safety circuit prevents damage to batteries while charging.

ITEM #	DESCRIPTION
22101	SL-B26 Li-Ion USB rechargeable battery pack - 1PK
22102	SL-B26 Li-Ion USB rechargeable battery pack - 2PK

EIGHT-UNIT SL-B26 BANK CHARGER

Charge up to eight batteries with Streamlight's lithium-ion battery bank charger in 5.25 hours. Each charge bay securely holds the battery in place - ideal for mounting on trucks. Low-profile housing (2.54 cm) requires minimal mounting area. Charge indicators over each battery: Red = charging // Green = charged. Charges with or without optional charge cradle. Use the charge cradle for storage as well as to charge your batteries.



NFPA

Charging rack meets requirements of NFPA 1900-11.11.2 (2024) mounted in any position

- BATTERY CAPACITY:** 8
- SIZE:** 26.54 x 12.06 x 2.54 cm
- WEIGHT WITH BATTERIES:** 216g
- WEIGHT WITHOUT BATTERIES:** 592g

ITEM #	DESCRIPTION
20225	8-Unit Bank Charger - 230V/240V AC



12V DC Charge Cord



Int'l Charge Cord

MULTI-FUEL LIGHTING SYSTEMS



Survivor® X USB



ProTac® HL-X USB



ProTac® 90 X USB



PolyTac® X USB



ProTac® 2L-X USB



ProTac® HL 5-X USB

ALSO WORKS WITH:

Available systems are sold with the lithium-ion battery #74175 (also included in Strion series). These systems are also compatible with the SL-B26 rechargeable battery pack (sold separately).



ProTac® HL USB Headlamp



ProTac® HL USB



ProTac® HPL USB

SIDEWINDER... THE MOST VERSATILE MILITARY LIGHTS IN THE WORLD



SIDEWINDER STALK®

Designed to minimize the number of illuminators and beacons an operator must carry, the low-profile Sidewinder Stalk provides ultimate maneuverability. Put light where you need it with multiple mounting options and a flexible stalk to aim the beam.

Features white, multi-colored and IR LEDs along with an IR/IFF beacon.

BATTERIES: (1) CR123A, (1) "AA" alkaline or (1) "AA" lithium
SIZE: 14 x 2.18 x 4.60 cm
WEIGHT: 90.7g w/CR123A battery and Loop and Hook adapter //
 81.65g w/AA battery and Loop and Hook adapter
COLOR: Coyote




White, red, green, blue and IR LEDs

Thumb Screw to lock into ARC rail slot

Uses "AA" alkaline battery or CR123A lithium battery (both included)

Also accepts "AA" lithium batteries for extended operation in extreme temperatures

Sidewinder Stalk does not need to be removed from mounted position in order to change batteries



Flexible stalk to aim the beam

Rotary mode selector switch (White, red, green, blue and IR)

IR/IFF beacon

Push-button switch for on/off and intensity control

IR/IFF beacon switch

ITEM #	DESCRIPTION
14301	Sidewinder Stalk - Includes helmet clip, Arc rail mount & assembly, CR123A & "AA" alkaline battery – Coyote – Mailer
14306	Sidewinder Stalk - Includes helmet clip, CR123A & "AA" alkaline batteries – Coyote – Box
14307	Sidewinder Stalk - Includes Arc rail mount & assembly, CR123A & "AA" alkaline batteries – Coyote – Box
14308	Sidewinder Stalk - Includes helmet clip, E-Mount, CR123A & "AA" alkaline batteries – Coyote – Box

HIGH (100%) OUTPUT - CR123A						
	WHITE LED	IR LED	RED LED	BLUE LED	GREEN LED	3535 IFF IR LED
LUMENS:	76	5.0 lmW/sr (min) radiant intensity	9	8	20	5.0 lmW/sr (min) radiant intensity
DISTANCE:	28m	---	7m	8m	12m	---
RUN TIME:	5.6h	32h	19h	13h	13h	21h

HIGH (100%) OUTPUT - AA LITHIUM/ALKALINE						
	WHITE LED	IR LED	RED LED	BLUE LED	GREEN LED	3535 IFF IR LED
LUMENS:	57	5.0 lmW/sr (min) radiant intensity	9	8	20	5.0 lmW/sr (min) radiant intensity
DISTANCE:	23m	---	7m	8m	12m	---
RUN TIME:	6h (liith) 3.8h (alk)	33h (liith) 20h (alk)	19h (liith) 10h (alk)	13h (liith) 6h (alk)	13h (liith) 5h (alk)	32h (liith) 19h (alk)



SIDEWINDER STALK BATTERY RUN TIME				
CR123A LITHIUM BATTERY				
LED	Low	Medium	High	Strobe
WHITE	95h	15h	5.6h	11h
RED	112h	36h	19h	34h
GREEN	80h	27h	13h	25h
BLUE	80h	27h	13h	25h
IR	174h	57h	32h	61h
IR W/ IFF BEACON	150h	40h	21h	43h
"AA" LITHIUM/ALKALINE BATTERY				
WHITE	79h(liith) 66h(alk)	16h(liith) 8h(alk)	6h(liith) 3.8h(alk)	11h(liith) 5.5h(alk)
RED	109h(liith) 85h(alk)	36h(liith) 24h(alk)	19h(liith) 10h(alk)	36h(liith) 25h(alk)
GREEN	84h(liith) 55h(alk)	26h(liith) 15h(alk)	13h(liith) 5h(alk)	23h(liith) 17h(alk)
BLUE	77h(liith) 61h(alk)	25h(liith) 16h(alk)	13h(liith) 6h(alk)	25h(liith) 18h(alk)
IR	173h(liith) 145h(alk)	55h(liith) 39h(alk)	33h(liith) 20h(alk)	60h(liith) 41h(alk)
IR W/ IFF BEACON	187h(liith) 115h(alk)	51h(liith) 38h(alk)	32h(liith) 19h(alk)	47h(liith) 35h(alk)

SIDEWINDER®

Meets a wide variety of hands-free illumination requirements with various color LEDs at different outputs. 185° tilting head and belt/web clip for multiple positioning/aiming of light. Designed for easy selection of light modes when in the field and when wearing gloves. IPX7-rated; waterproof to 1 meter for 30 minutes. 3 meter impact-resistance tested. O-ring and gasket-sealed for waterproof operation. Meets MIL-STD-810F, METHOD 512.4.

BATTERY: (2) "AA" alkaline or "AA" lithium for extended operation in extreme temperatures
SIZE: 5.94 x 2.74 x 11.81 cm
WEIGHT: 124g w/Lithium battery // 142g w/Alkaline battery
COLOR: Coyote

ITEM #	DESCRIPTION
14032	Side winder Military - Includes (2) "AA" alkaline batteries - Box

SIDEWINDER LIGHT OUTPUT & BATTERY RUN TIME						
LED	Light Output	Low 5% Output	Medium 1 25% Output	Medium 2 60% Output	High 100% Output	Strobe 100% Output
White	55 Lumens	100 hrs+	45 hrs	11 hrs	5.5 hrs	10 hrs
IR	25mW/sr [min] radiant intensity	200 hrs+	140 hrs	60 hrs	24 hrs	40 hrs
Red	1 Lumen	200 hrs+	140 hrs	60 hrs	24 hrs	40 hrs
Blue	1.8 Lumens	150 hrs+	100 hrs	35 hrs	16 hrs	30 hrs
Green	4.5 Lumens	150 hrs+	100 hrs	35 hrs	16 hrs	30 hrs

All run time to 10% of initial output level. Illumination output electronically regulated.



	HIGH
LUMENS:	55
CANDELA:	1,175
DISTANCE:	69m
RUN TIME:	5.5h

SIDEWINDER COMPACT® II

Extremely versatile lighting tool with white light and a variety of color LEDs for multiple tasks. Fits in the palm of your hand, or clips to MOLLE vest, belt, hat brim or pocket. Helmet mount also available. Rotates 185° for easy aiming of light. Unbreakable, scratch-resistant lens. Special design for easy operation even when wearing heavy gloves. IPX7-rated; waterproof to 1 meter for 30 minutes. 3 meter impact-resistance tested. O-ring and gasket-sealed for waterproof operation. Meets MIL-STD-810F, METHOD 512.4.

BATTERY: (1) CR123A lithium, or (1) "AA" Alkaline, or (1) "AA" lithium
SIZE: 7.62 x 2.72 x 5.21 cm
WEIGHT: 68g // 94g with Helmet Mount
COLOR: Coyote

ITEM #	DESCRIPTION
14516	Sidewinder Compact II Military - Includes CR123A lithium battery - Box
14514	Sidewinder Compact II Military - Includes helmet mount, headstrap and CR123A lithium battery - Box



	HIGH CR123A	HIGH "AA" LITHIUM	HIGH "AA" ALKALINE
LUMENS:	55	47	47
CANDELA:	1,175	1,000	1,000
DISTANCE:	69m	63m	63m
RUN TIME:	6h	6h	2h

SIDEWINDER ACCESSORIES

ACCESSORY	PART #	GOES WITH
Elastic Headstrap 	14039	Sidewinder Compact II
E-Mount (ACH, ECH, MICH, LWH compatible) 	14136	Sidewinder, Sidewinder Compact II, Sidewinder Stalk
Sidewinder NVG Mount 	14155	Sidewinder, Sidewinder Compact II, Sidewinder Stalk





STREAMLIGHT THE WIDEST RANGE OF HANDS-FREE LIGHTING TOOLS

Streamlight proudly builds headlamps for all types of users... from those needing safety-rated models for use in hazardous locations or the night shift worker needing a little extra light to set up a worksite. Our choices of beam types, light output and run time ensure you'll be able to find exactly the light you need.

SPOT / FLOOD

MODELS

KEY ATTRIBUTES:
Multi-Function
Task Lighting
General Use
Multi-Purpose



RECHARGEABLE

USB HAZ-LO Headlamp
Twin-Task USB Headlamp
Enduro Pro USB
Double Clutch USB*


NON - RECHARGEABLE

Enduro Pro HAZ-LO ATEX
Trident - Div. 2
Double Clutch Alkaline*
Enduro Pro

FLOOD

MODELS

KEY ATTRIBUTES:
Arm's Length
Task Lighting
Wide, Smooth Light



RECHARGEABLE

Bandit Pro
ProTac 2.0
Bandit*
ProTac HL USB Headlamp*


NON - RECHARGEABLE

Septor - Div. 2
ProTac HL Headlamp

SPOT

MODELS

KEY ATTRIBUTES:
Down Range
Long Distance



RECHARGEABLE

QB*

NON - RECHARGEABLE

Vantage II
3AA HAZ-LO Headlamp
Enduro
Argo*

SPECIALTY / COLOR LEDs

MODELS

KEY ATTRIBUTES:
Preserve Night Vision
Won't Spook Game

RECHARGEABLE

Bandit® Pro
Bandit*

NON - RECHARGEABLE

Enduro Pro
Green Trident*

*VISIT STREAMLIGHT.COM FOR MORE INFORMATION



USB HAZ-LO® HEADLAMP

Rechargeable Class I, Div. 1 headlamp. Multiple modes cover a variety of tasks with just one light: spot for a focused beam, flood for soft area illumination that won't tire your eyes and spot/flood combo for increased light output. Multi-function switch is easy to use with gloved hands. IP67-rated; dust-tight and waterproof to 1m for 30 minutes. Charge status indicator in bezel: **red** = charging, **green** = charged.



	SPOT	FLOOD	COMBO
LUMENS:	190	120	250
CANDELA:	2,000	90	-
DISTANCE:	89m	19m	-
RUN TIME:	7.5h	13h	7h

BATTERY: Lithium-ion
WEIGHT: 116.2g
COLOR: Yellow



Class I, II, Div. 1,
 Grps. A, B, C, D, E, F, G
 Class III, CL 1, Zn O, IIC
 T-Code: T4

ITEM #	DESCRIPTION
61462	USB HAZ-LO Headlamp - Includes 230V AC cord, elastic headstrap, rubber hard hat strap & 3M® Dual Lock® - Box

Two hardhat mounting options:
 Rubber strap

3M® Dual Lock®
 for strapless mounting



ENDURO® PRO HAZ-LO® ATEX

This low-profile headlamp has multiple modes to cover a variety of tasks: spot for a focused beam, flood for soft area illumination that won't tire your eyes and spot/flood combo for increased light output. Multi-function switch is easy to use with gloved hands. IP67-rated; waterproof.



	SPOT	FLOOD	COMBO
LUMENS:	160	160	235
CANDELA:	1,320	100	-
DISTANCE:	73m	20m	-
RUN TIME:	5h	5h	4.75h

BATTERY: (3) "AAA" alkaline batteries (included)
WEIGHT: 99.2g
COLOR: Orange

ITEM #	DESCRIPTION
61428	Enduro Pro HAZ-LO ATEX - Includes (3) AAA alkaline batteries, elastic headstrap & rubber hard hat strap - Box

Two hardhat mounting options:
 Rubber strap

3M® Dual Lock®
 for strapless mounting



II 1G Ex ia op is IIC T4 Ga
 FTZU 18 ATEX 0101X



Ex ia op is IIC T4 Ga
 IECEx FTZU 19.0003X

STREAMLIGHT HEADLAMP SERIES

PROTAC® 2.0 HEADLAMP

When your task requires extreme bright light, reach for the ProTac 2.0 Headlamp. With 2000 lumens, it produces double the output without sacrificing run time. Choose from high, medium or low using Streamlight's Ten-Tap® Programmable switch. You can use the rubber hard hat strap or adjustable elastic head strap.



	HIGH	MEDIUM	LOW
LUMENS:	2,000	650	110
CANDELA:	14,500	4,200	750
DISTANCE:	241m	130m	55m
RUN TIME:	2.25h	4.5h	25h



TEN-TAP® Programmable - choose from three programs:

- high/med/low
- high only
- low/high



Charges directly in the flashlight via USB-C cord

BATTERY: SL-B50 Li-Ion USB rechargeable battery pack
WEIGHT: 297g
COLOR: Black

ITEM #	DESCRIPTION
89001	ProTac 2.0 Headlamp - Includes SL-B50 battery pack, USB-C cord, elastic and rubber straps - Box

TRIDENT®

The Trident combines a single, distance oriented LED with three high-intensity flood LEDs giving you multiple lighting choices. Div 2 safety rated. Includes elastic and rubber head straps and alkaline batteries.

BATTERY: (3) "AAA" alkaline
WEIGHT: 156g
COLOR: Yellow



Class I, Div. 2, Grps. A, B, C, D;
 Class II, Div. 2, Grps. F, G,
 Class III, T-Code: T5

	HIGH	MEDIUM	LOW
LUMENS:	80	35	11
CANDELA:	4,000	385	120
DISTANCE:	126m	39m	22m
RUN TIME:	5h	10h	53h



ITEM #	DESCRIPTION
61050	Trident Div. 2 - Includes alkaline batteries, rubber & elastic straps

TWIN-TASK® USB HEADLAMP

FLOOD	HIGH	LOW
LUMENS:	250	125
CANDELA:	160	80
DISTANCE:	25m	18m
RUN TIME:	5h	9h



SPOT	HIGH	MEDIUM	LOW
LUMENS:	375	175	50
CANDELA:	3,650	1,850	440
DISTANCE:	121m	86m	42m
RUN TIME:	4.75h	8.5h	20h

This is a multi-use headlamp that provides a spot beam or a flood light to cover a variety of tasks. Use the spot beam for distance lighting. When you have an up-close task, use the flood light for smooth, diffused illumination to fill your work area with light. 120° tilting head reduces neck fatigue. IPX4-rated; water-resistant. Ergonomically designed for maximum comfort. Slide the battery pack to the side for tasks that require lying on your back.

BATTERY: Rechargeable lithium-ion battery
WEIGHT: 173g
COLOR: Red

ITEM #	DESCRIPTION
51064	Twin-Task USB Headlamp - Includes Micro-USB cord - Box
74175	Li-ion Battery Stick



Easy to use multi-function switch



USB rechargeable

BANDIT® PRO

The Bandit Pro is an ultra-lightweight personal area/work light featuring a large, easy-to-use push button and a lithium polymer rechargeable battery. It includes a handy snap-in clip adaptor to attach to a pocket or lapel or to the visor on a ball cap; it also adds additional downward adjustability. High, low and emergency flash modes.

BATTERY: Rechargeable lithium polymer
WEIGHT: 45.4g
COLOR: Yellow

ITEM #	DESCRIPTION
61716	Bandit Pro - Includes Micro-USB cord, elastic head strap, rubber hard hat strap and 3M® Dual Lock® - Box



	HIGH	LOW
LUMENS:	180	35
RUN TIME:	4.5h	21h
EMERGENCY FLASH - 180 LUMENS		

Two hardhat mounting options:
 Rubber strap

3M® Dual Lock®
 for strapless mounting





ENDURO® PRO USB

Save money over the cost of standard batteries with the Enduro Pro USB. You'll always have the light you need with spot and flood beams, each with high, medium and low modes: spot for a focused beam or flood for soft area illumination that won't tire your eyes. Multi-function switch remembers the last mode used. Charge indicator; battery charges in four hours. IPX4-rated; water-resistant.

SPOT	HIGH	MEDIUM	LOW
LUMENS:	200	90	25
CANDELA:	2,080	890	250
DISTANCE:	91m	60m	32m
RUN TIME:	6.25h	19h	48h

FLOOD	HIGH	MEDIUM	LOW
LUMENS:	145	50	15
CANDELA:	220	80	30
DISTANCE:	30m	18m	11m
RUN TIME:	7h	21h	48h

BATTERY: Rechargeable lithium polymer
WEIGHT: 102g
COLOR: Yellow

ITEM #	DESCRIPTION
61436	Enduro Pro USB - Includes Micro-USB cord, elastic headstrap, rubber hard hat strap, and 3M® Dual Lock® - Box



Industrial model:

Two hardhat mounting options:
 Rubber strap

3M® Dual Lock®
 for strapless mounting



ENDURO®

Features an adjustable rubber/elastic combination head strap and a clip that attaches to the brim of your hat, collar of your coat or car visor. Unbreakable lens; IPX7-rated; waterproof to 1m for one hour.

BATTERY: (2) "AAA" alkaline
WEIGHT: 78.5g
COLOR: Black

ITEM #	DESCRIPTION
61400	Enduro - Includes alkaline batteries, visor clip and elastic strap



	HIGH	LOW
LUMENS:	50	10
CANDELA:	1,100	285
DISTANCE:	66m	33m
RUN TIME:	5.5h	25h



3AA HAZ-LO[®] ATEX HEADLAMP

The 3AA HAZ-LO ATEX high-performance headlamp is ATEX-rated for Zone 0 locations while maintaining exceptional light output and a long run time.



LUMENS:	270
CANDELA:	5,600
DISTANCE:	150m
RUN TIME:	8h




IEC **IECEX** Ex ia op is IIC T4 Ga
IECEX FTZU 19.0003X

Ex II 1G Ex ia op is IIC T4 Ga
FTZU 19 ATEX 0101X

Includes a rubber head strap that ensures a non-slip grip for hardhats.

BATTERY: (3) "AA" alkaline
WEIGHT: 201.3g
COLOR: Orange

ITEM #	DESCRIPTION
61250	3AA HAZ-LO ATEX Headlamp - Includes alkaline batteries, rubber & elastic straps



SEPTOR[®]

	HIGH	MEDIUM	LOW
LUMENS:	120	45	13
CANDELA:	900	375	100
DISTANCE:	60	35m	20m
RUN TIME:	3.5h	10h	55h

The Septor is specifically engineered to maximize run time. It offers three lighting modes (1, 3 or 7 LEDs) and a 90° tilting head so you can aim the light where needed. It produces a soft flood light that is designed to minimize eye strain and is ideal for up-close work. Includes elastic and rubber head straps and alkaline batteries. Div. 2 safety rated.

BATTERY: (3) "AAA" alkaline
WEIGHT: 156g
COLOR: Yellow

ITEM #	DESCRIPTION
61052	Septor Div. 2 - Includes alkaline batteries, rubber & elastic straps



Class I, Div. 2, Grps. A, B, C, D;
Class II, Div. 2, Grps. F, G,
Class III, T-Code: T5



THE LIGHT SEEN IN EVERY TOOL BOX, IS THE LIGHT THAT CAN HELP YOU SEE ANYWHERE

STREAMLIGHT JR. LED®

LUMENS:	225
CANDELA:	2,700
DISTANCE:	104m
RUN TIME:	6h



Don't let the name "Junior" fool you. The Streamlight Jr LED may be lightweight and compact, but the light it produces is anything but small - shining a bright 225 lumens. It uses easy-to-find "AA" alkaline batteries, and also accepts AA lithium batteries for longer run time.

BATTERY: (2) "AA" alkaline or lithium batteries
SIZE: 16.51 cm
WEIGHT: 117g
COLOR: Black

ITEM #	DESCRIPTION
71500	Streamlight Jr. LED - Includes alkaline batteries - Clam

STREAMLIGHT JR. F-STOP®

	FLOOD	SPOT
LUMENS:	250	220
CANDELA:	360	5,600
DISTANCE:	38m	150m
RUN TIME (ALK):	6h	6h
RUN TIME (LITH):	10h	10h



Slide bezel forward to transition from flood to spot

The perfect worklight that fits in your pocket. It provides a smooth flood beam to illuminate your work area without tiring your eyes. Slide the lens forward for a smooth transition to a spot beam for distance lighting.

BATTERY: (2) "AA" alkaline or lithium batteries
SIZE: 16.51 cm
WEIGHT: 125g
COLOR: Black

ITEM #	DESCRIPTION
71701	Streamlight Jr. F-Stop - Includes alkaline batteries - Box





MICROSTREAM®

LUMENS:	45
CANDELA:	420
DISTANCE:	41m
RUN TIME:	2.25h



The MicroStream is small enough for you to discreetly keep it in your pocket, or clip it to a ball cap for hands-free use. This versatile tool is perfect for supervisors who don't need a flashlight on a daily basis, or for the tradesmen who don't want to be weighed down by larger lighting tools.

High-strength lanyard



BATTERY: (1) "AAA" alkaline
SIZE: 9.14 cm
WEIGHT: 31.2g
COLOR: Black

Removable pocket clip also clips onto brim of hat for hands-free use



ITEM #	DESCRIPTION
66318	MicroStream - Includes Alkaline Batteries

MACROSTREAM® USB

	HIGH	LOW
LUMENS:	500	50
CANDELA:	2,000	220
DISTANCE:	90m	30m
RUN TIME:	2h	8h



High-powered ultra-compact lithium-ion battery-powered flashlight. It fits in the palm of your hand or comfortably in your pocket and provides unparalleled performance for its size. Durable aluminum construction; IPX4-rated; water-resistant.

BATTERY: Lithium-ion
SIZE: 11.43 cm
WEIGHT: 62.4g
COLOR: Black

ITEM #	DESCRIPTION
66320	MacroStream USB - Includes Micro-USB cord & lanyard

MICROSTREAM® USB

	HIGH	LOW
LUMENS:	250	50
CANDELA:	1,150	250
DISTANCE:	68m	31m
RUN TIME:	1.5h	3.5h



BATTERY: Lithium-ion
SIZE: 9.83 cm
WEIGHT: 34.1g
COLOR: Black, Blue or Coyote

The MicroStream USB is small enough for you to discreetly keep it in your pocket, or clip it to your hat for hands-free use. It's USB rechargeable so you can conveniently charge it via virtually any USB power source.

ITEM #	DESCRIPTION
66604	MicroStream USB - Includes 12.7 cm USB cord and lanyard - Black
66606	MicroStream USB - Includes 12.7 cm USB cord and lanyard - Blue
66609	MicroStream USB - Includes 12.7 cm USB cord and lanyard - Coyote



Pocket clip attaches to visor for hands-free use



THE STYLUS SERIES ELIMINATES
HARD-TO-SEE
NOOKS AND CRANNIES
AND LIGHTS THE WAY

STYLUS® UV

Features an ultraviolet light for detecting HVAC leaks, fraudulent documents and for use in forensic investigations.

365NM UV LED	
OUTPUT:	3.8 mW
RUN TIME:	24h

BATTERY: (3) "AAAA" alkaline
SIZE: 15.17 cm
WEIGHT: 31g
COLOR: Black



ITEM #	DESCRIPTION
65069	Stylus Black - 365 nm UV LED - Clam

STYLUS® ATEX

LUMENS:	11
CANDELA:	140
DISTANCE:	24m
RUN TIME:	24h



This bright, long-running LED penlight has a long battery life, and goes anywhere you need it. IPX4-rated; water-resistance. Removable pocket clip.



BATTERY: (3) "AAAA" alkaline
SIZE: 15.17 cm
WEIGHT: 31g
COLOR: Black

ITEM #	DESCRIPTION
65082	Stylus Black ATEX - White LED (ATEX) - Clam

STYLUS® REACH ATEX

Features a high-intensity white LED and a 17.78 cm cable that provides 35.6 cm of reach and helps you to see into the tightest spots. IPX4-rated; water-resistant.

Twist and turn the flexible cable into any position to light the most out-of-the-way places.

LUMENS:	11
CANDELA:	140
DISTANCE:	24m
RUN TIME:	24h



BATTERY: (3) "AAAA" alkaline
SIZE: 35.6 cm
WEIGHT: 35.5g
COLOR: Black



ITEM #	DESCRIPTION
66133	Stylus Reach ATEX - Black with White LED - Clam

STYLUS PRO®

LUMENS:	100
CANDELA:	950
DISTANCE:	62m
RUN TIME:	8h



The Stylus Pro is the ultimate high-performance pen light. So sleek and compact, it's unbelievable that it provides such incredible output! Use it for close inspections, or shine the light across a room – it provides a beam distance of 62 meters.

BATTERY: (2) "AAA" alkaline
SIZE: 13.4 cm
WEIGHT: 46.9g
COLOR: Matte Black

ITEM #	DESCRIPTION
66118	Stylus Pro - Black - Clam - White LED

CLIPMATE® USB

This multi-function light clips to pocket or cap for hands-free use. Recharges by plugging into USB port or optional AC wall adaptor. IPX4-rated; water-resistant. 1 meter impact-resistance tested.

BATTERY: Lithium polymer cell
SIZE: 8.13 cm
WEIGHT: 53.86g
COLOR: Black

WHITE LED	HIGH	LOW	RED LED	HIGH	LOW
LUMENS:	70	10	LUMENS:	.5	.2
CANDELA:	500	50	CANDELA:	9	3
DISTANCE:	44m	14m	DISTANCE:	6m	3m
RUN TIME:	3.5h	24h	RUN TIME:	16h	65h

ITEM #	DESCRIPTION
61125	ClipMate USB



Flexible, extension cable targets the beam where you need it



Dual LEDs:
 High-intensity white LED Night
 vision red LED



POCKET MATE® USB

	HIGH	LOW
LUMENS:	325	45
CANDELA:	1,450	200
DISTANCE:	76m	28m
RUN TIME:	20min	1h



The Pocket Mate is small in size but big on power - produces 325 lumens. Conveniently fits in your pocket and clips to your lapel or visor for hands-free use. IPX4-rated; weather-resistant. Two year warranty.

BATTERY: Lithium polymer
SIZE: 5.1 cm
WEIGHT: 14.2g
COLOR: Silver, Red, Blue



Pocket clip attaches to visor for hands-free use

ITEM #	DESCRIPTION
73300	Pocket Mate - Includes USB cord - Box - Silver
73301	Pocket Mate - Includes USB cord - Box - Red
73302	Pocket Mate - Includes USB cord - Box - Blue

THE LOGO™

	HIGH
LUMENS:	10
RUN TIME:	45h on blink



Weighs only 10 grams and has 3 light levels plus a blink mode that will flash for 45 hours. To conserve battery, it automatically turns off after six minutes in high, medium or low modes. Weather-resistant.

BATTERY: (2) CR2016 lithium coin cell
SIZE: 4.57 cm
WEIGHT: 10.7g
COLOR: Black

ITEM #	DESCRIPTION
73100	The Logo - Clam
731000	The Logo - Bulk Item



Streamlight, Inc.
30 Eagleville Road
Eagleville, PA U.S.A 19403
streamlight.com

#StreamlightStrong

(800) 523-7488 Toll-Free
(800) 220-7007 Fax
(610) 631-0600
(610) 631-0712 Fax

@2024 Streamlight, Inc. 3/24 ISO 9001:2008 certified European Warehouse Catalog - 991182 - Rev. B asi/89871

All rights reserved. Trademarks of companies mentioned herein appear for identification purposes only and are the property of their respective companies.

